



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS OR** those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) | ADA Height-gated (E) | ADA Height-gated (E) | Rear (Back) Bowl Outlet | Floor- (F) OR Wall-Mounted (W) |
|---|-------------------------|---------------------------------------|--|---------------|------------------------------|----------------------------|----------------------|----------------------|-------------------------|--------------------------------|
| Gravity-fed SINGLE-FLUSH High-Efficiency PREMIUM Toilet Models | | | | | | | | | | |
| 39-032 | American Standard | H2Optimum UHET SF EL | 288CA.114: 3706.216 bowl, 4133A.114 tank | 2 | 12 | F | | | | F |
| 39-033 | American Standard | H2Optimum UHET SF EL ADA | 288AA.114: 3705.216 bowl, 4133A.114 tank | 2 | 12 | F | ADA | | | F |
| 39-031 | American Standard | H2Optimum UHET SF RF | 288DA.114: 3708.216 bowl, 4133A.114 tank | 2 | 12 | R | | | | F |
| 45-031 | American Standard | Vormax UHET EL | 238AA.114: 3385A.101 bowl, 4385A.114 tank | 2 | 12 | F | | | | F |
| 45-031 | American Standard | Vormax UHET EL | 238AA.115: 3385A.101 bowl, 4385A.115 tank | 2 | 12 | F | | | | F |
| 39-033 | American Standard | H2Optimum UHET SF EL ADA | 288AA.115: 3705.216 bowl, 4133A.115 tank | 2 | 12 | E | ADA | | | F |
| 38-001 | AmGreen | None EL | AG25B bowl, AG20T tank | 2 | 12 | F | | | | F |
| 38-002 | AmGreen | None RF | AG20B bowl, AG20T tank | 2 | 12 | R | | | | F |
| 43-002 | AmGreen | None EL ADA | AG25H bowl, AG20T tank | 2 | 12 | F | ADA | | | F |
| 45-003 | Axent | Annie EL ADA | W376-123X-UI (one-piece) | 1 | 12 | F | ADA | | | F |
| 39-036 | Bath-tech Industrial | Chicago EL ADA | Z59E16S22338: Z59E16 bowl, S22338 tank | 2 | 12 | F | ADA | | | F |
| 23-031RN39 | Bath-tech Industrial | Edmonton RF | Z88R15 bowl, S8803 tank | 2 | 12 | R | | | | F |
| 39-037 | Bath-tech Industrial | Miami EL ADA | Z59E16S11338: Z59E16 bowl, S11338 tank | 2 | 12 | E | ADA | | | F |
| 39-035 | Bath-tech Industrial | Miami RF ADA | Z59R16S11338: Z59R16 bowl, S11338 tank | 2 | 12 | R | ADA | | | F |
| 39-034 & 23-032RN39 | Bath-tech Industrial | Portland RF ADA | Z59R16S22338: Z59R16 bowl, S22338 tank | 2 | 12 | R | ADA | | | F |
| 38-034 | Cascadian Sanitary Ware | None EL | C202 bowl, T201 tank | 2 | 12 | E | | | | F |
| 38-035 | Cascadian Sanitary Ware | None RF | C201 bowl, T201 tank | 2 | 12 | R | | | | F |
| 33-023, 24-071 & 16-135 | Contrac | Cadell RF | 5730BFVU: B5730BFVU bowl, T5730BFVU tank (available Canada only) | 2 | 12 | R | | | | F |
| 36-064 | Contrac | Cadell RF | 5730BFVU: 5732BFX bowl, 5731BFXU tank (available Canada only) | 2 | 12 | R | | | | F |
| 24-073RN40 | Contrac | Cadell RF (lined tank) | 5730BFV: B5730BFV bowl, T5730BFV tank (lined) (available Canada only) | 2 | 12 | R | ADA | | | F |
| 36-065 | Contrac | Cadell RF (lined tank) | 5730BFV: 5732BFX bowl, 5731BFX tank (lined) (available Canada only) | 2 | 12 | R | | | | F |
| 34-027, 24-070 & 16-093 | Contrac | Case EL ADA | 5730BOVU: B5730BOVU bowl, T5730BOVU tank (available Canada only) | 2 | 12 | E | ADA | | | F |
| 36-060 | Contrac | Case EL ADA | 5730BOXU: 5732BOX bowl, 5731BFXU tank (available Canada only) | 2 | 12 | E | ADA | | | F |
| 24-074RN40 | Contrac | Case EL ADA (lined tank) | 5730BOV: B5730BOV bowl, T5730BOV tank (lined) (available Canada only) | 2 | 12 | E | ADA | | | F |
| 36-061 | Contrac | Case EL ADA (lined tank) | 5730BOX: 5732BOX bowl, 5731BFX tank (lined) (available Canada only) | 2 | 12 | E | ADA | | | F |
| 36-066 | Contrac | Cato EL | 5730BEXU: 5732BEX bowl, 5731BFXU tank (available Canada only) | 2 | 12 | E | | | | F |
| 24-075RN40 | Contrac | Cato EL (lined tank) | 5730BEV: B5730BEV bowl, T5730BEV tank (lined) (available Canada only) | 2 | 12 | E | | | | F |
| 36-067 | Contrac | Cato EL (lined tank) | 5730BEX: 5732BEX bowl, 5731BFX tank (lined) (available Canada only) | 2 | 12 | E | | | | F |
| 33-022, 24-069 & 16-134 | Contrac | Cato EL) | 5730BEVU: 5730BEVU bowl, T5730BEVU tank (available Canada only) | 2 | 12 | E | | | | F |
| 24-072RN40 | Contrac | Clancy RF ADA | 5730BIV: B5730BIV bowl, T5730BIV tank (available Canada only) | 2 | 12 | R | ADA | | | F |
| 34-028 & 16-094RN32 | Contrac | Clancy RF ADA | 5730BIVU: B5730BIVU bowl, T5730BIVU tank (available Canada only) | 2 | 12 | R | ADA | | | F |
| 36-062 | Contrac | Clancy RF ADA | 5730BIXU: 5732BIX bowl, 5731BFXU tank (available Canada only) | 2 | 12 | R | ADA | | | F |
| 36-063 | Contrac | Clancy RF ADA (lined tank) | 5730BIX: 5732BIX bowl, 5731BFX tank (lined) (available Canada only) | 2 | 12 | R | ADA | | | F |
| 46-023 | Contrac | Cila EL ADA (one piece) | 4710BOXU (one piece) (available Canada only) | 1 | 12 | E | ADA | | | F |
| 44-028 | Foremost | None EL | A01-005775E*FM: (lined tank) (available Canada only) | 2 | 12 | E | | | | F |
| 35-006, 24-027 & 21-019 | Foremost | None EL (lined tank) | A01-005775*L: LL-775E bowl, T1-005*L tank (lined) (available Canada only) | 2 | 12 | E | | | | F |
| 35-012, 24-066 & 16-092 | Foremost | None EL ADA | A01-005887E: LL-887E bowl, T1-005 tank | 2 | 12 | E | ADA | | | F |
| 24-064 & 16-089 | Foremost | None EL ADA (lined tank) | A01-005887E*L: LL-887E bowl, T1-005*L tank (lined) (available Canada only) | 2 | 12 | E | ADA | | | F |
| 32-047 | Foremost | None HET EL | LL-775E* bowl, T-006 tank | 2 | 12 | E | | | | F |
| 35-013 | Foremost | None HET EL ADA | LL-887E* bowl, T-006* tank | 2 | 12 | E | ADA | | | F |
| 32-046 | Foremost | None HET RF | LL-775R* bowl, T-006 tank | 2 | 12 | R | | | | F |
| 35-007, 24-067 & 21-018 | Foremost | None RF (lined tank) | A01-005775R*L: LL-775R bowl, T1-005*L tank (lined) (available Canada only) | 2 | 12 | R | | | | F |
| 24-065 & 16-091 | Foremost | None RF ADA (lined tank) | A01-005887R*L: LL-887R bowl, T1-005*L tank (lined) (available Canada only) | 2 | 12 | R | ADA | | | F |
| 35-011 & 24-026 | Foremost | Solar RF (lined tank) | TL-8057-*L: LL-8057 bowl, T-8057-*L tank (lined) (available Canada only) | 2 | 12 | R | | | | F |
| 24-024RN40 | Foremost | Total Toilet Ease EL ADA (lined tank) | TT-8296-*L: LL-8296 bowl, T-8296-*L tank (lined) (available Canada only) | 2 | 12 | E | ADA | | | F |
| 44-103 | Gerber | Viper EL ADA | WS-20-521: WS-21-521 bowl, WS-28-591 tank - NOTE: 3L/0.8-gal flush | 2 | 12 | E | ADA | | | F |
| 38-040 | HCG - Hocheng | None EL | C3016 (one-piece) NOTE: 0.8g/3.0L flush | 1 | 12 | E | | | | F |



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS OR** those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (Internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (Inches) | Round (R) or Elongated (E) | ADA Height Bowl | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|---------------------------------------|---|-------------------------------------|---|---------------|------------------------------|----------------------------|-----------------|--------------------|--------------------------------|
| 37-015 | Hennessy & Hinchcliffe | Proficiency RF | N7716SR: N7716SR bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 10 | R | | | F |
| 38-040 | Hennessy & Hinchcliffe | Proficiency EL | N7721 (one-piece by HCG) (NOTE: 0.8g/3.0L single-flush fixture) | 1 | 12 | E | | | F |
| 22-026RN38, 17-024 & 14-002 | Hennessy & Hinchcliffe | Proficiency EL ADA | N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 12 | E | ADA | | F |
| 37-014 | Hennessy & Hinchcliffe | Proficiency EL ADA | N7717SR: N7717SR bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 10 | E | ADA | | F |
| 36-047 & 23-023 | Hennessy & Hinchcliffe | Proficiency EL ADA | N7799: N7799 bowl, N7714T tank NOTE: 3.6L/0.95-gal flush (rear outlet bowl) | 2 | N.A. | E | ADA | R | F |
| 37-012, 23-079, 17-024, 14-003 | Hennessy & Hinchcliffe | Proficiency RF ADA | N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 12 | R | ADA | | F |
| 31-049 | Hennessy & Hinchcliffe | Proficiency RF ADA | N7710: N7716 bowl, N7710T tank NOTE: 3L/0.8-gal flush | 2 | 10 | R | ADA | | F |
| 37-004 | Home Depot | Glacier Bay EL ADA | 1001-251-582: N2410EB bowl, N2410T tank (by Niagara) | 2 | 12 | E | ADA | | F |
| 22-026RN38, 21-078 & 14-002 | Home Depot | Glacier Bay (Stealth) EL ADA | SKU 169-564 (selected regions in the U.S.) and 674-753 (Canada): N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (by Niagara) | 2 | 12 | E | ADA | | F |
| 35-006, 24-027 & 21-019 | Home Depot | Glacier Bay EL (lined tank) | SKU 822-557 (by Foremost): LL-775E bowl, T1-005*L tank (lined) (available Canada only) | 2 | 12 | E | | | F |
| 37-004 | Home Depot | Glacier Bay EL ADA | SKU 251-582: N2410EB bowl, N2410T tank | 2 | 12 | E | ADA | | F |
| 24-028 & 16-142 | Home Depot | None EL | SKU 173-239 - Foremost Model AO1-005775E: LL-775E bowl, T1-005 tank | 2 | 12 | E | | | F |
| 18-041RN34 | Home Depot | Stealth EL ADA | SKU 263-564 (by Niagara): N7717 bowl, N7714 tank - NOTE: 3L/0.8-gal flush - toilet sold as All-In-One (AIO) package. | 2 | 12 | E | ADA | | F |
| 43-002 | Humble Bee | None EL ADA | EG25HSWH bowl, EG20TSMW tank | 2 | 12 | E | ADA | | F |
| 38-002 | Humble Bee | None RF | EG20BSWH bowl, EG20TSMW tank | 2 | 12 | R | | | F |
| 38-001 | Humble Bee | None EL | EG25SWH bowl, EG20TSMW tank | 2 | 12 | E | | | F |
| 37-004 | Interline Brands | Premier EL ADA | 1034397: N2410EB bowl, N2410T tank (by Niagara) | 2 | 12 | E | ADA | | F |
| 42-013 | Kohler | Highline Classic EL | K-5299: 5297 bowl, 5307 tank | 2 | 12 | E | | | F |
| 42-012 | Kohler | Highline Flair EL | K-5298: 5297 bowl, 5308 tank | 2 | 12 | E | | | F |
| 38-001 | Leza | None EL | HM25SWH bowl, HM20TSMW tank | 2 | 12 | E | | | F |
| 38-002 | Leza | None RF | HM20BSWH bowl, HM20TSMW tank | 2 | 12 | R | | | F |
| 43-002 | Leza | None EL ADA | HM25HSWH bowl, HM20TSMW tank | 2 | 12 | E | ADA | | F |
| 38-034 | Megabrand | None EL | C202 bowl, T201 tank | 2 | 12 | E | | | F |
| 38-035 | Megabrand | None RF | C201 bowl, T201 tank | 2 | 12 | R | | | F |
| 37-004 | Niagara | Glacier Bay EL ADA | N2410E: N2410EB bowl, N2410T tank | 2 | 12 | E | ADA | | F |
| 38-040 | Niagara | Stealth EL | N7711 (one-piece) NOTE: 0.8g/3.0L flush | 1 | 12 | E | | | F |
| 22-026RN38 & 21-078 | Niagara | Stealth EL ADA | N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Available at Home Depot as Glacier Bay model) | 2 | 12 | E | ADA | | F |
| 40-006, 18-041RN34 | Niagara | Stealth EL ADA | N7717/N7714: N7717 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77000 - Available Home Depot with SKU 263-564 | 2 | 12 | E | ADA | | F |
| 37-016 | Niagara | Stealth EL ADA | N772714E: N7727EB bowl, N7714 tank - NOTE: 3L/0.8-gal flush | 2 | 10 | E | ADA | | F |
| 37-014 | Niagara | Stealth EL ADA | N772715E: N7727EB bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 10 | E | ADA | | F |
| 36-047 | Niagara | Stealth EL ADA | N7799-NCC: N7799 bowl, N7714T tank (rear outlet bowl) | 2 | N.A. | E | ADA | R | F |
| 37-015 | Niagara | Stealth RF | N772615R: N7726RB bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 10 | R | | | F |
| 37-017 | Niagara | Stealth RF | N772614R: N7726RB bowl, N7714 tank - NOTE: 3L/0.8-gal flush | 2 | 10 | R | | | F |
| 37-013 & 17-048RN33 | Niagara | Stealth RF ADA | 77001RWHAI1 (sold as All-In-One package) NOTE: 3L/0.8-gal flush. Available at Home Depot as SKU 734-553 | 2 | 12 | R | ADA | | F |
| 37-012, 23-079, 17-024 & 14-003 | Niagara | Stealth RF ADA | N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush | 2 | 12 | R | ADA | | F |
| 37-013 & 17-048RN33 | Niagara | Stealth RF ADA | N7716R: N7716 bowl, N7714 tank - NOTES: 3L/0.8-gal flush - toilet also sold as All-In-One package Model 77002 | 2 | 12 | E | ADA | | F |
| 35-012 | OSH - Orchard Supply Hardware | None HET EL ADA | SKU # 7060171 - LL-887E* bowl, T1-005* tank (by Foremost) | 2 | 12 | E | ADA | | F |
| 37-029 | PROFLO (Ferguson brand) | None EL ADA | PF9803 bowl, PF9810 tan (NOTE: 3L/0.8-gal flush) | 2 | 10 | E | ADA | | F |
| 37-030 | PROFLO (Ferguson brand) | None EL ADA | PF9803 bowl, PF9812 tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | E | ADA | | F |
| 35-020 | PROFLO (Ferguson brand) | None RF ADA | PF9800 bowl, PF9810 tank (NOTE: 3L/0.8-gal flush) | 2 | 10 | R | ADA | | F |
| 35-021 | PROFLO (Ferguson brand) | None RF ADA | PF9800 bowl, PF9812 tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | R | ADA | | F |
| 35-011 & 24-026 | Rona | Solar RF (lined tank) | SKU#78195000 (Foremost TL-8057) (lined tank) (available Canada only) | 2 | 12 | R | | | F |
| 32-047, 24-028 & 16-142 | Seasons (HD Supply) | Keating HET EL | 189881 bowl, 189880 tank (same as Foremost LL-775E bowl, T-006 unlined tank) | 2 | 12 | E | | | F |
| 32-046, 24-029 & 16-141 | Seasons (HD Supply) | Keating HET RF | 749458 bowl, 189880 tank, (same as Foremost LL-775R bowl, T-006 unlined tank) | 2 | 12 | R | | | F |
| 35-013 | Seasons (HD Supply) | None HET EL ADA | 710695 bowl, 189880 tank (by Foremost) | 2 | 12 | E | ADA | | F |
| 46-053 | Seasons (HD Supply) | Hawthorne EL ADA (12-inch rough-in) | 108466 bowl, 564854 tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | E | ADA | | F |
| 43-002 | Spenca | None EL ADA | HM25HSWH bowl, HM20TSMW tank | 2 | 12 | E | ADA | | F |
| 38-002 | Spenca | None RF | HM20BSWH bowl, HM20TSMW tank | 2 | 12 | R | | | F |
| 38-001 | Spenca | None EL | HM25SWH bowl, HM20TSMW tank | 2 | 12 | E | | | F |
| 36-100 | SSI-Sustainable Solutions International | None RF ADA | 301381 bowl, 301380 tank | 2 | 12 | R | ADA | | F |
| 45-027 | SSI-Sustainable Solutions International | ONE NO CLOG Point 8 EL ADA | 301302W bowl, 301300W tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | E | ADA | | F |



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS OR** those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) | ADA Height | Rear (Back) Bowl Outlet | Floor- (F) OR Wall-Mounted(W) |
|---------------------------------------|---|--|---|---------------|------------------------------|----------------------------|------------|-------------------------|-------------------------------|
| 38-004 | Toto | Carlyle II 1G EL ADA | CST614CUFG OR MS614114CUFG | 1 | 12 | E | ADA | | F |
| 27-006RN43 | Toto | Drake II 1G EL | CST454CUFG: C454CUFG bowl, ST453U tank | 2 | 12 | E | | | F |
| 40-027 | Toto | Drake II IG - RF ADA | CST453CUFG(G): C453CUFG(G) bowl, ST453U tank | 2 | 12 | R | ADA | | F |
| 33-035 | Toto | Ultramax II EL ADA (1-piece) | CST604CUFG(G) | 1 | 12 | E | ADA | | F |
| 33-035 | Toto | Ultramax II EL ADA (1-piece) | MS604114CUFG(G) | 1 | 12 | E | ADA | | F |
| 38-005 | Toto | Vespin II 1G EL ADA | CST474CUFG: CT474CUFG bowl, ST453U tank | 2 | 12 | E | ADA | | F |
| 43-021 | Toto | Promenade II EL ADA (1-piece) | MS814224CUFG(G) (Also identified as CST814CUFG(G))(one-piece) | 1 | 12 | E | ADA | | F |
| 43-023 | Toto | Promenade II EL ADA | CST404CUFG(G): C404CUFG(G) bowl, ST403U tank | 2 | 12 | E | ADA | | F |
| 37-030 | Tynan Plumbing | MacLair Ultra 0.8 EL ADA | 4747: 0747 bowl, 1352 tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | E | ADA | | F |
| 37-029 | Tynan Plumbing | MacLair Ultra 0.8 EL ADA | 4757: 0747 bowl, 1350 tank (NOTE: 3L/0.8-gal flush) | 2 | 10 | E | ADA | | F |
| 35-021 | Tynan Plumbing | MacLair Ultra 0.8 RF ADA | 4742: 0742 bowl, 1352 tank (NOTE: 3L/0.8-gal flush) | 2 | 12 | R | ADA | | F |
| 35-020 | Tynan Plumbing | MacLair Ultra 0.8 RF ADA | 4752: 0742 bowl, 1350 tank (NOTE: 3L/0.8-gal flush) | 2 | 10 | R | ADA | | F |
| 44-098 | Unison Ridge | Sorrentino EL (12-inch rough-in - one-piece) | BT-2316E233 (one-piece) - NOTE: 3L/0.8-gal flush (available Canada only) | 1 | 12 | E | | | F |
| 40-005 | Vortens | Oken 1G EL | 3149-3449: 3149 bowl, 3449 tank | 2 | 12 | E | ADA | | F |
| 38-003 | Vortens | Oken 1G RF | 3249-3449: 3249-V bowl, 3449-V tank | 2 | 12 | R | | | F |
| 31-024 | Western Pottery | None RF | W8270: B722 bowl, T7ULF tank (1.0 gal)(by Zhangzhou) | 2 | 12 | R | | | F |
| 18-041RN34 | Your Other Warehouse (subsidi. of Home Depot) | Stealth EL ADA | SKU 684-143 (by Niagara): N7717 bowl, N7714 tank - NOTE: 3L/0.8-gal flush - toilet sold as All-In-One (AIO) package. | 2 | 12 | E | ADA | | F |

NOTES: (1) "Effective Flush Volume" (EFV) is the water consumption as rated when certified to Federal requirements.
 (2) All MaP PREMIUM toilets must meet a minimum solid waste removal threshold of 600 grams (about 21 ounces) in one flush.
 (3) All MaP PREMIUM toilets are certified to the U.S. EPA WaterSense® specification.

KEY: RF-Round-front toilet bowl EL - Elongated-front toilet bowl S - Special bowl shape gpf - Gallons per Flush
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS OR** those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) | ADA Height | Rear (Back) Bowl Outlet | Floor- (F) OR Wall-Mounted (W) |
|---|--|--|---|---------------|------------------------------|----------------------------|------------|-------------------------|--------------------------------|
| Gravity-fed and Electro-Hydraulic DUAL-FLUSH High-Efficiency PREMIUM Toilet Models (maximum full flush volume: 1.28 gallons/4.8 litres) | | | | | | | | | |
| 38-038 | American Standard | Cadet Ultra Low Dual Flush EL ADA | 740AA.200: 3218A.001B bowl, 4133A.200R tank | 2 | 12 | F | ADA | | F |
| 32-037 | American Standard | Cosette EL Dual Flush (one-piece) | 750CA.200 (one-piece) | 1 | 12 | F | | | F |
| 39-029 | American Standard | H2Option UHET DF EL | 2887.218: 3706.216 bowl, 4133A.218 tank | 2 | 12 | F | | | F |
| 40-018 | American Standard | H2Option UHET DF EL (lined tank) | 2887.518: 3706.216 bowl, 4133A.518 tank (lined) | 2 | 12 | F | | | F |
| 38-038 | American Standard | H2Option UHET DF EL ADA | 2886.218: 3705.216 bowl, 4133A.218 tank | 2 | 12 | E | ADA | | F |
| 40-020 | American Standard | H2Option UHET DF EL ADA (lined tank) | 2886.518: 3705.216 bowl, 4133A.518 tank (lined) | 2 | 12 | E | ADA | | F |
| 39-030 | American Standard | H2Option UHET DF RF | 2889.218: 3708.216 bowl, 4133A.218 tank | 2 | 12 | R | | | F |
| 40-019 | American Standard | H2Option UHET DF RF (lined tank) | 2889.518: 3708.216 bowl, 4133A.518 tank (lined) | 2 | 12 | R | | | F |
| 23-030RN39 | Bath-tech Industrial | Ottawa RF | Z15R15 bowl, S23348 tank | 2 | 12 | R | | | F |
| 23-034RN39 | Bath-tech Industrial | Ottawa RF ADA | Z59R16 bowl, S23348 tank | 2 | 12 | R | ADA | | F |
| 43-027 | BINLI | None EL (one-piece) | BL-118-OPT | 1 | 12 | E | | | F |
| 43-028 | BINLI | None EL (one-piece) | BL-153-OPT | 1 | 12 | S | | | F |
| 43-030 | BINLI | None EL (one-piece) | BL-137-OPT | 1 | 12 | S | | | F |
| 43-031 | BINLI | None EL (one-piece) | BL-136-OPT | 1 | 12 | S | | | F |
| 35-025 | Caroma | Caravelle Smart One-Piece EL ADA | 989900 (one-piece - see NOTE below) | 1 | ADJ | E | ADA | | F |
| 14-035RN36 | Caroma | Profile Smart 305 RF | 609151A bowl, 840420 tank 609151A bowl, 840420 tank (NOTE: tank lid contains a lavatory sink that drains to the tank) | 2 | 12 | R | | | F |
| 29-031 | Caroma | Somerton 270 EL | 829108 bowl, 810788 tank (see NOTE below) | 2 | ADJ | E | | | F |
| 45-028 | Caroma | Somerton Smart EL ADA | 829109 bowl, 829110 tank (also 829110-R tank) | 2 | 12 | E | ADA | 2 | F |
| 13-121RN28 | Caroma | Sydney Smart 270 EL ADA | 609120 bowl, 622322 tank (see NOTE below) | 2 | ADJ | E | ADA | | F |
| 30-071 & 14-036 | Caroma | Sydney Smart 305 EL | 609130 bowl, 622322 tank | 2 | 12 | E | | | F |
| 32-112 | Caroma | Sydney Smart II 305 EL ADA | 305102 bowl, 302100 tank | 2 | 12 | E | ADA | | F |
| 32-113 | Caroma | Sydney Smart II 305 RF ADA | 305101 bowl, 302100 tank | 2 | 12 | R | ADA | | F |
| 14-026RN36 | Caroma | Sydney Smart RF (Rear Outlet bowl) | 609450 bowl, 622322 tank (see NOTE below) | 2 | N.A. | R | | R | F |
| 36-058 | Contrac | Camri EL | 4722BLWU:4722BLW bowl, 4721BPWU tank (avail Canada only) | 2 | 12 | E | | | F |
| 36-059 | Contrac | Camri EL (lined tank) | 4722BLWU:4722BLW bowl, 4721BPWU tank (lined)(avail Canada only) | 2 | 12 | E | | | F |
| 26-003RN42 | Contrac | Canby EL (one-piece) | 5710BEX (one-piece) (lined) (available Canada only) | 1 | 12 | E | | | F |
| 26-004RN42 | Contrac | Canby EL (one-piece) | 5710BEXU (one-piece) (available Canada only) | 1 | 12 | E | | | F |
| 34-008 | Contrac | Carson RF | 4720BPWU: 4722BPW bowl, 4721BPWU tank (avail Canada only) | 2 | 12 | R | | | F |
| 34-009 | Contrac | Carson RF (lined tank) | 4720BPWU: 4722BPW bowl, 4721BPWU tank (avail Canada only) | 2 | 12 | R | | | F |
| 26-005RN42 | Contrac | Claire RF (one-piece) | 5710BFX (one-piece) (lined) (available Canada only) | 1 | 12 | R | | | F |
| 26-006RN42 | Contrac | Claire RF (one-piece) | 5710BFXU (one-piece) (available Canada only) | 1 | 12 | R | | | F |
| 36-056 | Contrac | Cullen EL ADA | 4722BNWU: 4722BNW bowl, 4721BPWU tank (avail Canada only) | 2 | 12 | E | ADA | | F |
| 36-057 | Contrac | Cullen EL ADA (lined tank) | 4722BNWU: 4722BNW bowl, 4721BPWU tank (lined) (available Canada only) | 2 | 12 | E | ADA | | F |
| 39-012 | Contrac | Kiera EL ADA (one-piece - lined tank) | 4710BNWU (one-piece - lined tank - skirted bowl) | 1 | 12 | E | ADA | | F |
| 39-011 | Contrac | Kiera EL ADA (one-piece) | 4710BNWU (one-piece - skirted bowl) | 1 | 12 | E | ADA | | F |
| 33-031 | Duravit | Senso Wash I EL | 620000 00 1001 300 (Electro-hydraulic) | 2 | 12 | E | | | F |
| 32-037 | EJier | Cosette EL Dual Flush (one-piece) | 081-0600 (one-piece) | 1 | 12 | F | | | F |
| 34-025 | Foremost | Asbury EL ADA (one-piece - lined tank) | TL-8190-*L (one-piece - lined tank) (available Canada only) | 1 | 12 | E | ADA | | F |
| 24-058RN40 | Foremost | Dietrich RF (lined tank) | TL-7235-*L: LL-7235 bowl, T-7235-*L tank (lined)(avail Canada only) | 2 | 12 | R | | | F |
| 33-021 | Foremost | Manara EL (lined tank) | TL-8272E-*L: LL-8272E bowl, T-8272-*L tank (lined) (avail Canada only) | 2 | 12 | E | | | F |
| 34-026 | Foremost | Markell RF ADA (lined tank) | TL-8143-*L: LL-8143 bowl, T-8143 tank (lined) (avail Canada only) | 2 | 12 | R | ADA | | F |
| 42-003 | Foremost | None EL ADA dual flush | TL-8483HC-EWL (lined tank) | 1 | 12 | E | ADA | | F |
| 36-051 | Foremost | None HET EL ADA (one Piece) | TL-6115HC (one piece) | 1 | 12 | E | ADA | | F |
| 45-007 | Foremost | Rivelle RF ADA (12-inch rough-in) | TL-7400HC-*L: LL-7400HC bowl, T-7400-*L tank (lined)(avail Canada only) | 2 | 12 | R | ADA | | F |
| 28-027RN44 | Foremost | HET RF (lined tank) | TL-8142-*L: LL-8142 bowl, T-8142 lined tank (avail Canada only) | 2 | 12 | R | | | F |
| 44-085 | Gerber | Viper EL ADA (12-inch rough-in) | DF-20-521: WS-21-521 bowl, DF-28-591 tank | 2 | 12 | E | ADA | | F |
| 30-066 | Hennessy & Hinchcliffe | Proficiency EL ADA | N771714E-DF-HH: N7717EB-DF bowl, N7714T-DF tank | 2 | 12 | E | ADA | | F |
| 36-051 | Home Depot | Schon EL ADA (one-piece) | SKU 692399 (Foremost TL6115-HC) black color | 1 | 12 | E | ADA | | F |
| 36-051 | Home Depot | Schon EL ADA (one-piece) | SKU 692400 (Foremost TL6115-HC) biscuit color | 1 | 12 | E | ADA | | F |
| 36-051 | Home Depot | Schon EL ADA (one-piece) | SKU 692402 (Foremost TL6115-HC) white color | 1 | 12 | E | ADA | | F |
| 30-066RN46 | Niagara | Stealth EL ADA Dual Flush | N771714E-DF: N7717EB-DF bowl, N7714T-DF tank | 2 | 12 | E | ADA | | F |
| 34-025 | Rona | Asbury EL ADA (one-piece - lined tank) | SKU#78195026 (Foremost TL-8190-*L) (one-piece - lined tank) (available Canada only) | 1 | 12 | E | ADA | | F |
| 28-027RN44 | Rona | Avitus RF (lined tank) | SKU#78195011 (Foremost TL-8142-*L - lined tank) (avail Canada only) | 2 | 12 | R | | | F |
| 34-026 | Rona | Markell RF ADA (lined tank) | SKU#78195028 (Foremost TL-8143-*L) (available Canada only) | 2 | 12 | R | ADA | | F |
| 36-051 | Schön-Simply Modern (by Home Depot - YOW-Your Other Warehouse) | None HET EL ADA (one-piece) | TL-6115HC (one-piece by Foremost) | 1 | 12 | E | ADA | | F |



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS** OR those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (Inches) | Round (R) or Elongated (E) | ADA Height Bowl | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|--|--------------|---|---|---------------|------------------------------|----------------------------|-----------------|--------------------|--------------------------------|
| 40-029 | Toto | Dual Max - EL ADA (wall-mount) | CWT437MF(G)-3: CT437F(G) bowl, WT153M in-wall tank | 1 | N.A. | E | ADA | R | W |
| 40-029 | Toto | Dual Max - EL ADA (wall-mount) | CWT437MF(G)-4: CT437F(G) bowl, WT154M in-wall tank | 1 | N.A. | E | ADA | R | W |
| 43-016 & 33-034 | Toto | Connelly EL ADA | CST494CEMF(G): CT494CEF(G) bowl, ST494M tank | 2 | 12 | E | ADA | | F |
| 40-025 | Toto | G400 EL | MS920CEMF(G): CT920CEMF(G) bowl, SN920M top | 1 | 12 | E | | | F |
| 28-062RN44 | Toto | Neorest 550H EL | MS982CUMG: CT982CUMG bowl, SN982M tank | 2 | 12 | E | | | F |
| 43-020 | Toto | Neorest 750H | MS993CUMFX: CT993CUMFX bowl, SN993MX tank | 2 | 12 | E | | | F |
| 43-020 | Toto | Neorest 700H | MS992CUMF: CT992CUMFG bowl, SN992M tank | 2 | 12 | E | | | F |
| 40-026 | Toto | Neorest 500H EL | MS952CUM(G): CT952CUM(G) bowl, SN952M top | 1 | 12 | E | | | F |
| 47-026 | Toto | Aquia IV RH EL | CST446CEM(G): CT446CU(G)T40 bowl, ST446EM tank (Also sold as MS446124CEM(G) and MW4463066CEM(G)) | 2 | 12 | E | | | F |
| 47-025 | Toto | Aquia IV UH EL ADA | CST446CEM(G): CT446CUF(G)T40 bowl, ST446EM tank (Also sold as MS446124CEMF(G) and MW4463066CEMF(G)) | 2 | 12 | E | ADA | | F |
| 44-100 | Unison Ridge | Bellucini EL | BT-2216ETDF223548 (avail Canada only) | 1 | 12 | E | | | F |
| 23-040 | Unison Ridge | Marriot EL | UB1216E3 bowl, TDF1233248 tank (avail Canada only) | 2 | 12 | E | | | F |
| 23-042 | Unison Ridge | Marriot EL ADA | UB1216E3 bowl, TDF1233248 tank (avail Canada only) | 2 | 12 | E | ADA | | F |
| 23-039 | Unison Ridge | Marriot RF | UB1215R bowl, TDF1233248 tank (avail Canada only) | 2 | 12 | R | | | F |
| 23-041 | Unison Ridge | Marriot RF ADA | UB1216R3 bowl, TDF1233248 tank (avail Canada only) | 2 | 12 | R | ADA | | F |
| ROUGH-IN DIMENSIONS: | | ADJ - Adjustable rough-in; may be installed with either 10-inch or 12-inch rough-in | | | | | | | |
| | | N.A. - Horizontal rough-in dimension is not applicable; toilet model is a rear-outlet fixture | | | | | | | |
| SPECIAL NOTE FOR DUAL FLUSH MODELS: | | The Effective Flush Volume (EFV) for dual-flush fixtures is calculated as the average of 1 reduced flush and 1 full flush. | | | | | | | |



Maximum Performance (MaP) of "PREMIUM" toilet models



MaP PREMIUM Requirements....each listed toilet model must meet the following:

- Effective flush at 1.1 gallons/4.0 Litres or less
- U.S. EPA WaterSense-qualified (certified & listed)
- MaP: 600 grams or better

NOTE: MaP PREMIUM rounds flush volumes to a single decimal place. While we recognize that 1.1 gallons is about 11 tablespoons of water greater than the 4.0-litre maximum flush volume set by MaP PREMIUM, it is our professional opinion that this difference is not materially significant.

CAUTION: Toilets shown on this list are recommended **FOR RESIDENTIAL APPLICATIONS OR** those other installations where sufficient volumes of supplemental flows of water are introduced into the building drainline system near the toilet fixture (clothes washers, showers, dishwashers, process water, food service operations, sinks, etc.).

December 8, 2017

| MaP Test Report Number (internal use) | Brand Name | Toilet Model Name | Toilet Model Numbers | 1- or 2-piece | Horizontal Rough-in (inches) | Round (R) or Elongated (E) | ADA Height-gated (E) | ADA Height Bowl | Rear (Back) Outlet | Floor- (F) OR Wall-Mounted (W) |
|--|-------------------------|--|--|---------------|------------------------------|----------------------------|----------------------|-----------------|--------------------|--------------------------------|
| Pressure-Assist <i>SINGLE FLUSH</i> High-Efficiency PREMIUM Toilet Models | | | | | | | | | | |
| 25-039RN41 | American Standard | Cadet FloWise Pressure-Assist EL ADA | 2467.100: 3483.100 OR 3483.001 bowl, 4142.100 tank | 2 | 12 | E | | ADA | | F |
| 24-104RN40 | American Standard | Cadet Pressure-Assist EL | 2462.100: 3481.100 OR 3481.001 bowl, 4142.100 tank | 2 | 12 | E | | | | F |
| 25-036 & 10-127RN22 | American Standard | Yorkville FloWise Pressure-Assist EL (rear outlet bowl) | 2876.100: 3701.100 OR 3701.001 bowl, 4142.100 tank | 2 | N.A. | E | | | R | F |
| 25-038RN41 | American Standard | Yorkville FloWise Pressure-Assist EL ADA (rear discharge) | 2878.100: 3703.100 OR 3703.001 bowl, 4142.100 tank (rear outlet bowl) | 2 | N.A. | E | | ADA | R | F |
| 19-089RN35 | Contrac | Chane EL ADA | 5720BMY: 5722BMY bowl, 5721BOY tank (available Canada only)(rear outlet bowl) | 2 | 12 | E | | ADA | R | F |
| 21-017RN37 | Contrac | Cleo EL ADA | 5720BOY: B5722BOY bowl, T5721BOY tank (available Canada only) | 2 | 12 | E | | ADA | | F |
| 12-036RN26 | ECO-FITT (by Niagara) | Power One EL | N2310: 2310B bowl, 2310T tank | 2 | 12 | E | | | | F |
| 15-100RN31 | Foremost | None EL ADA | A04-215177E: LL-177E bowl, T4-215 tank (available Canada only) | 2 | 12 | E | | ADA | | F |
| 44-022 | Foremost | None EL ADA | TL-8320HC-E: LL8320HE-E bowl, T-8320 tank (available Canada only) | 2 | 12 | E | | ADA | | F |
| 46-053 | Foremost | None EL ADA | LL-8320HC-E bowl, T4-215 tank (available Canada only) | 2 | 12 | E | | ADA | | F |
| 33-003 & 15RN | Gerber | Ultra Flush 1.1 EL | EF-21-312: 21-372 bowl, EF-28-380 tank | 2 | 12 | E | | | | F |
| 33-004 & 15RN | Gerber | Ultra Flush 1.1 EL ADA | EF-21-318: 21-377 bowl, EF-28-380 tank | 2 | 12 | E | | ADA | | F |
| 33-006 & 15RN | Gerber | Ultra Flush 1.1 EL ADA (rear discharge) | EF-21-325: 21-375 bowl, EF-28-380 tank (rear outlet bowl) | 2 | N.A. | E | | ADA | R | F |
| 16-150RN32 | Gerber | Ultra Flush RF | EF-21-302: 21-342 bowl, EF-28-380 tank | 2 | 12 | R | | | | F |
| 16-154RN | Gerber | Ultra Flush RF | EF-21-304: 21-342 bowl, EF-28-384 tank | 2 | 14 | R | | | | F |
| 15-100 | Home Depot | Glacier Bay EL ADA (NOTE: This fixture flushes with 1.0-gal / 3.8 Litres of water) | SKU 303-774 (by Foremost): 303-774 bowl, 303-774 tank | 2 | 12 | E | | ADA | | F |
| 12-036RN26 | Home Depot | Power One EL | SKU 385-195 Available in selected Home Depot regions (Also available as Niagara N2310: 2310B bowl, 2310T tank) | 2 | 12 | E | | | | F |
| 7-509RN36 | Kohler | Highline Pressure Lite EL ADA | K-3519: 4304 bowl, 4484 tank | 2 | 12 | E | | ADA | | F |
| 12-024RN26RN42 | Kohler | San Raphael Pressure Lite EL ADA | K-3597 (one-piece) | 1 | 12 | E | | ADA | | F |
| 7-508RN36 | Kohler | Wellworth Pressure Lite EL | K-3531: 4303 bowl, 4484 tank | 2 | 12 | E | | | | F |
| 10-121RN22-38 | Mansfield | QuantumOne EL | 147 bowl, 153 tank | 2 | 12 | E | | | | F |
| 10-119RN22-38 | Mansfield | QuantumOne EL | 149 bowl, 153 tank | 2 | N.A. | E | | | R | F |
| 11-070RN24RN40 | Mansfield | QuantumOne EL ADA | 144 bowl, 153 tank | 2 | 12 | E | | ADA | R | W |
| 10-120RN22-38 | Mansfield | QuantumOne EL ADA | 148 bowl, 153 tank | 2 | 12 | E | | ADA | | F |
| 27-022 | Mansfield | QuantumOne EL ADA (Floor Mount, Rear Outlet) | 151-153: 151 bowl, 153 tank (rear outlet bowl) | 2 | N.A. | E | | ADA | R | F |
| 10-122RN22-38 | Mansfield | QuantumOne RF | 146 bowl, 153 tank | 2 | 12 | R | | | | F |
| 12-036RN26 | Niagara | Power One EL | N2310: 2310B bowl, 2310T tank | 2 | 12 | E | | | | F |
| 15-076RN31 | Niagara | PowerOne RF | N2310R: N2310R bowl, N2310T tank | 2 | 12 | R | | | | F |
| 28-066RN44 & 14-040 | PROFLO (Ferguson brand) | None EL | PF1601PA bowl, PF1612PA tank (left-hand lever) | 2 | 12 | E | | | | F |
| 28-068RN44 & 19-077 | PROFLO (Ferguson brand) | None EL | PF1605PA bowl (rear outlet), PF1612PA tank (left-hand lever) | 2 | 12 | E | | | R | F |
| 28-067RN44 & 14-041 | PROFLO (Ferguson brand) | None EL ADA | PF1603PA bowl, PF1612PA tank (left-hand lever) | 2 | 12 | E | | ADA | | F |
| 28-060RN44 | PROFLO (Ferguson brand) | None EL ADA | PF1606PA bowl (rear outlet), PF1612PA tank (left-hand lever) | 2 | 12 | E | | ADA | R | F |
| 28-065RN44 & 19-047 | PROFLO (Ferguson brand) | None RF | PF1600PA bowl, PF1612PA tank (left-hand lever) | 2 | 12 | R | | | | F |
| 28-059RN44 | PROFLO (Ferguson brand) | None RF | PF1604PA bowl (rear outlet), PF1612PA tank (left-hand lever) | 2 | 12 | R | | | R | F |
| 15-100RN31 | Seasons (HD Supply) | Hawthorne EL ADA | 564-856 bowl, 564-854 tank | 2 | 12 | E | | ADA | | F |
| 19-089RN35 | Seasons (HD Supply) | Hawthorne EL ADA | 564-814 bowl, 564-854 tank | 2 | 12 | E | | ADA | R | F |
| 28-066RN44 & 14-031 | Tynan Plumbing | Louth EL | 4510: 7510 bowl, 1712 tank | 2 | 12 | E | | | | F |
| 28-068RN44 & 19-077 | Tynan Plumbing | Louth EL | 4530: 7530 bowl (rear outlet), 1712 tank | 2 | 12 | E | | | R | F |
| 28-067RN44 & 14-032 | Tynan Plumbing | Louth EL ADA | 4512: 7512 bowl, 1712 tank | 2 | 12 | E | | ADA | | F |
| 28-060RN44 | Tynan Plumbing | Louth EL ADA | 4532: 7525 bowl (rear outlet), 1712 tank | 2 | 12 | E | | ADA | R | F |
| 28-065RN44 & 19-047 | Tynan Plumbing | Louth RF | 4500: 7508 bowl, 1712 tank | 2 | 12 | R | | | | F |
| 28-059RN44 | Tynan Plumbing | Louth RF | 4531: 7520 bowl (rear outlet), 1712 tank | 2 | 12 | R | | | R | F |
| 17-054RN33 | Vitra | Evergreen EL ADA | 5065 bowl, 5066 tank | 2 | 12 | E | | ADA | | F |
| 8-553RN19RN36 | Vortens | Tornado EL ADA | 3134-3468: 3134-V Bowl, 3468-V Tank | 2 | 12 | E | | ADA | | F |
| 12-120RN26 & 10-117 | Western Pottery | Wrangler One EL | B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf) | 2 | 11 | E | | | | F |
| 16-111RN32 | Zurn | EcoVantage EL | Z5571: Z5570 bowl, Z5561 tank | 2 | 12 | E | | | | F |
| 16-114RN32 | Zurn | EcoVantage EL ADA | Z5561: Z5560 bowl, Z5561 tank | 2 | 12 | E | | ADA | | F |

DISCLAIMER: The information presented in the three (3) tables above has been gathered from sources deemed to be reliable. However, the authors make no guarantee as to its correctness, accuracy, completeness, or current status. Readers are encouraged to perform their own research at the WaterSense website, the MaP-testing.com website, manufacturer websites, and other sources.