



| Map Report No.<br>(for internal use) | Flushometer bowl         |   |  |   |      |                     |                                 |                 |                              |                                | Flushometer valve                     |                           |                               |                       |                                      |   |                        |  |  |
|--------------------------------------|--------------------------|---|--|---|------|---------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|-------------------------------|-----------------------|--------------------------------------|---|------------------------|--|--|
|                                      | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name  | Bowl Model Number   | Spud | Rough-in (inches) * | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number            | MAP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: P=Pliston B=Diaphragm, P=Pliston | WaterSense Compliant Valve (certified) |
| 41-002                               | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | 14                  | E                               | ADA             | R                            | F                              | WS                                    | American Standard         | Flowise 1.1 6047.111 (manual) | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 22-021RN38                           | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | Z6000AV-HET                   | 800                   |                                      | HET   | 1.28                   | D  | WS                                     |
| 22-021(e)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | Z6000PL-HET                   | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(c)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET                | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(d)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET-IS             | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(j)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET-IS             | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(h)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET                | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(i)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET-IS             | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(k)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET-IS             | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(l)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6200-HET                  | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(m)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6200-HET-IS               | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(o)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZEMS6200PL-HET                | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(a)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZER6000AV-HET-(CPM and CP)    | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(f)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZER6000PL-HET-(CPM and CP)    | 800                   |                                      | HET   | 1.28                   | D  |  |
| 22-021(b)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZR6000AV-HET                  | 800                   |                                      | HET   | 1.28                   | D  | WS                                     |
| 22-021(g)RN38                        | American Standard        |   | Priolo EL ADA  | 3695.001  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Zurn                      | ZR6000PL-HET                  | 800                   |                                      | HET   | 1.28                   | D  |  |
| 13-092RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3697.001  | Rear | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3697.001  | Rear | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 32-039                               | American Standard        | 3451511.020                                   | Madera 1.1 EL  | 2234.001 (NOTE: also includes 2623.001, 2624.001, 3451.001, 3452.001, 3455.001)           | Top  | 12                  | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.111 (1.1 gpf)(battery)   | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 41-005                               | American Standard        |   | Madera EL  | 2234.001 or 3451.001  | Top  | 12                  | E                               |                 |                              | F                              | WS                                    | American Standard         | Flowise 1.1 6047.111 (manual) | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 41-001                               | American Standard        |   | Afwall EL ADA  | 2257.101 or 3351.101  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | Flowise 1.1 6047.111 (manual) | 1,000                 |                                      | HET   | 1.10                   | P  |  |
|                                      | American Standard        |   | Afwall EL ADA (1.28 gal/flush)   | 2257.101NAF   | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.121.002 (battery)        |                       |                                      | HET   | 1.28                   | P  |  |
|                                      | American Standard        |   | Afwall EL ADA (1.6 gal/flush)  | 2257.101NAF   | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)        |                       | ULF                                  |   |                        | P  |  |
| 25-052RN41                           | American Standard        |   | Baby Devoro FV Universal (child's bowl height: 10.4-inch = 260 mm)     | 2282.001 (child's bowl height: 10.4-inch = 260 mm)  | Top  |                     |                                 | S               |                              | F                              | WS                                    | American Standard         | 6065.161.002                  | 800                   | ULF                                  |   |                        | P  |  |
| 25-051RN41                           | American Standard        |   | Baby Devoro FV Universal HET (child's bowl height: 10.4-inch = 260 mm) | 2282.001-1.28 (child's bowl height: 10.4-inch = 260 mm)                                   | Top  |                     |                                 | S               |                              | F                              | WS                                    | American Standard         | 6065.121.002 (piston type)    | 800                   |                                      | HET   | 1.28                   | P  |  |
| 30-077RN46                           | American Standard        |   | Afwall FloWise EC EL ADA (1.6 gal/flush)                               | 2296.019 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)        | 1,000                 | ULF                                  |   |                        | P  |  |
| 26-009RN42                           | American Standard        |   | Madera Youth FloWise (youth bowl height: 14-inch = 355 mm)             | 2599.001 (youth bowl height: 14-inch = 355 mm)  | Top  |                     | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.525.002                  | 800                   |                                      | HET   | 1.28                   | P  |  |
| 27-001RN43                           | American Standard        |   | Madera Youth FloWise (youth bowl height: 14-inch = 355 mm)             | 2599.001 (youth bowl height: 14-inch = 355 mm)  | Top  |                     | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.565.002                  | 1,000                 | ULF                                  |   |                        | P  |  |
| 30-075RN46                           | American Standard        |   | Afwall Millennium 1.1 EL ADA   | 2633.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.111 (1.1 gpf)(battery)   | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 30-076RN46                           | American Standard        |   | Afwall EL ADA (1.28 gal/flush)   | 2633.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.121.002 (battery)        | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 30-077RN46                           | American Standard        |   | Afwall EL ADA (1.6 gal/flush)  | 2633.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)        | 1,000                 | ULF                                  |   |                        | P  |  |
| 32-044                               | American Standard        | 3461511.020                                   | Madera 1.1 EL  | 3043.001 (NOTE: also includes 3248.001, 3249.001, 3461.001, 3462.001, 3463.001, 3464.001) | Top  | 12                  | E                               | ADA             |                              | F                              | WS                                    | American Standard         | 6065.111 (1.1 gpf)(battery)   | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 41-004                               | American Standard        |   | Madera EL ADA  | 3043.001 or 3461.001  | Top  | 12                  | E                               | ADA             |                              | F                              | WS                                    | American Standard         | Flowise 1.1 6047.111 (manual) | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 17-028RN33                           | American Standard        |   | Huron EL ADA   | 3312.001 OR 3313.001 (bed pan lugs)   | Top  | 12                  | E                               | ADA             | R                            | F                              | WS                                    | American Standard         | 6065.121.002 (piston type)    | 500                   |                                      | HET   | 1.28                   | P  |  |
| 17-028RN33                           | American Standard        |   | Huron EL ADA   | 3312.001 OR 3313.001 (bed pan lugs) (UPC bar code 3305683469)                             | Top  | 12                  | E                               | ADA             | R                            | F                              | WS                                    | American Standard         | 6047.121 (manual)             | 500                   |                                      | HET   | 1.28                   | P  |  |
| 10-134RN28-RN44                      | American Standard        |   | Afwall FloWise EL  | 3352.101 (w/bedpan lugs)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | 111-1.28 (1-1/2")             | 800                   |                                      | HET   | 1.28                   | P  |  |
| 10-135RN28-RN44                      | American Standard        |   | Afwall EL  | 3352.101 (w/bedpan lugs)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 30-075RN46                           | American Standard        |   | Afwall EC Millennium 1.1 EL ADA  | 3352.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.111 (battery)            | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 30-076RN46                           | American Standard        |   | Afwall EC EL ADA (1.28 gal/flush)                                      | 3352.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.121.002 (battery)        | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 30-077RN46                           | American Standard        |   | Afwall EC EL ADA (1.6 gal/flush)                                       | 3352.101 (w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)        | 1,000                 | ULF                                  |   |                        | P  |  |
| 30-075RN46                           | American Standard        |   | Afwall EC Millennium 1.1 EL ADA  | 3354.101 (rear outlet w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.111 (battery)            | 1,000                 |                                      | HET   | 1.10                   | P  |  |
| 30-076RN46                           | American Standard        |   | Afwall EC EL ADA (1.28 gal/flush)                                      | 3354.101 (rear outlet w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.121.002 (battery)        | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 30-077RN46                           | American Standard        |   | Afwall EC EL ADA (1.6 gal/flush)                                       | 3354.101 (rear outlet w/BPL)  | Top  | N.A.                | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)        | 1,000                 | ULF                                  |   |                        | P  |  |
| 22-070RN38                           | American Standard        |   | Top Spud Rapidway EL (wall mount-ADA possible)                         | 3445J.101   | Top  | N.A.                | E                               | ADA             | R                            | W                              |                                       | Sloan                     | Solaris 8111                  | 600                   | ULF                                  |   |                        | D  |  |
| 22-070RN38                           | American Standard        |   | Back Spud Rapidway EL (wall mount-ADA possible)                        | 3445L.101   | Rear | N.A.                | E                               | ADA             | R                            | W                              |                                       | Sloan                     | Solaris 8111                  | 600                   | ULF                                  |   |                        | D  |  |
| 10-132RN28-RN44                      | American Standard        |   | Olimpico Flux EC 1.1 EL ADA  | 3451S001MX  | Top  | 10                  | E                               |                 |                              | F                              |                                       | Sloan                     | 111-1.28 (1-1/2")             | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 10-132RN28-RN44                      | American Standard        |   | Madera FloWise EL  | 3452.001 (w/bedpan lugs)  | Top  | 10                  | E                               |                 |                              | F                              | WS                                    | Sloan                     | 111-1.28 (1-1/2")             | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 10-129RN28-RN44                      | American Standard        |   | Madera EL  | 3452.001 (w/bedpan lugs)  | Top  | 10                  | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 10-130RN28-RN44                      | American Standard        |   | Madera EL  | 3455.001 (w/bedpan lugs)  | Rear | 10                  | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 10-133RN28-RN44                      | American Standard        |   | Madera FloWise EL ADA  | 3462.001 (w/bedpan lugs)  | Top  | 10                  | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | 111-1.28 (1-1/2")             | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 10-131RN28-RN44                      | American Standard        |   | Madera EL ADA  | 3462.001 (w/bedpan lugs)  | Top  | 10                  | E                               | ADA             |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3696.001 (w/ bed pan lugs)  | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 | ULF                                  |   |                        | P  |  |
| 13-092RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3696.001 (w/bed pan lugs)   | Top  | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Sloan                     | 111-1.28 (1-1/2")             | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 13-092RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3698.001 (w/ bed pan lugs)  | Rear | N.A.                | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")           | 1,000                 |                                      | HET   | 1.28                   | P  |  |





| MaP Report No.<br>(for internal use) | Flushometer bowl         |  |  |  |      |                    |                                 | Flushometer valve |                              |                                |                                       |                           |  |                       |                                      |   |                        |  |  |
|--------------------------------------|--------------------------|--|--|--|------|--------------------|---------------------------------|-------------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--|-----------------------|--------------------------------------|---|------------------------|--|--|
|                                      | Manufacturer of the Bowl | Bowl/ Valve Combination (if available) | Bowl Model Name  | Bowl Model Number                                | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl   | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number   | MaP Performance Score | 6-1 (1.6-gal) Commercial Combination | 4-8-1 (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: P=Pliston P=Diaphragm, P=Pliston | WaterSense Compliant Valve (certified) |
| 30-041RN46                           | Sloan Valve              |  | EL ADA   | ST2029   | Top  | 10                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 30-042RN46                           | Sloan Valve              |  | EL ADA   | ST2029   | Top  | 10                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 30-043RN46                           | Sloan Valve              |  | EL ADA   | ST2029   | Top  | 10                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal Uppercut 1.6 / 1.1 DUAL FLUSH                        | 1,000                 |                                      | HET   | 1.28                   | D  |  |
| 36-023                               | Sloan Valve              |  | EL ADA   | ST2029   | Top  | 10                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.28  | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-024                               | Sloan Valve              |  | EL ADA   | ST2029   | Top  | 10                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.6   | 1,000                 | ULF                                  |   | D                      |  |  |
| 20-082RN36                           | Sloan Valve              |  | EL ADA   | ST2030   | Rear |                    | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 120-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-021                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Crown 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | P  | WS                                     |
| 36-022                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Crown 111-1.6  | 1,000                 | ULF                                  |   | P                      |  |  |
| 38-020                               | Sloan Valve              | WETS 2051.1101-1.1 ECOS                | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | ECOS 8111-1.1  | 800                   |                                      | HET   | 1.10                   | D  | WS                                     |
| 36-020                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | ECOS 8111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-019                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | ECOS HW 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-017                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.28                                   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-018                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6                                    | 1,000                 | ULF                                  |   | D                      |  |  |
| 36-046                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Gem 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | P  | WS                                     |
| 36-016                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Gem 111-1.6  | 1,000                 | ULF                                  |   | P                      |  |  |
| 30-038RN46                           | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 30-039RN46                           | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 30-040RN46                           | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal Uppercut 1.6 / 1.1 DUAL FLUSH                        | 1,000                 |                                      | HET   | 1.28                   | D  |  |
| 36-044                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Solis 8111-1.28  | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-045                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2059   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Solis 8111-1.6   | 1,000                 | ULF                                  |   | D                      |  |  |
| 20-083RN36                           | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2060   | Rear | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal 143-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-040                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Crown 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | P  | WS                                     |
| 36-041                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Crown 111-1.6  | 1,000                 | ULF                                  |   | P                      |  |  |
| 36-039                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | ECOS 8111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-038                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | ECOS HW 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-036                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.28                                   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-037                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6                                    | 1,000                 | ULF                                  |   | D                      |  |  |
| 36-034                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Gem 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | P  | WS                                     |
| 36-035                               | Sloan Valve              |  | EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Gem 111-1.6  | 1,000                 | ULF                                  |   | P                      |  |  |
| 32-117                               | Sloan Valve              |  | Efficiency Series EL ADA   | ST2229   | Top  |                    | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-042                               | Sloan Valve              |  | Efficiency Series EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-043 & 32-119                      | Sloan Valve              |  | Efficiency Series EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 36-032                               | Sloan Valve              |  | Efficiency Series EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.28  | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 36-033                               | Sloan Valve              |  | Efficiency Series EL ADA   | ST2229   | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.6   | 1,000                 | ULF                                  |   | D                      |  |  |
| 32-118                               | Sloan Valve              |  | Efficiency Series EL ADA (dual-flush)                                  | ST2229   | Top  |                    | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | WES 111-1.6/1.1 DUAL FLUSH                                 | 1,000                 |                                      | HET   | 1.28                   | D  |  |
| 32-114                               | Sloan Valve              |  | Efficiency Series (child's bowl height: 10.5-inch = 267 mm)            | ST2309 (child's bowl height: 10.5-inch = 267 mm) | Top  | 10                 |                                 |                   |                              | F                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 32-116                               | Sloan Valve              |  | Efficiency Series (child's bowl height: 10.5-inch = 267 mm)            | ST2309 (child's bowl height: 10.5-inch = 267 mm) | Top  | 10                 |                                 |                   |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 32-115                               | Sloan Valve              |  | Efficiency Series Dual Flush (child's bowl height: 10.5-inch = 267 mm) | ST2309 (child's bowl height: 10.5-inch = 267 mm) | Top  | 10                 |                                 |                   |                              | F                              | WS                                    | Sloan                     | WES 111-1.6/1.1 DUAL FLUSH                                 | 1,000                 |                                      | HET   | 1.28                   | D  |  |
| 46-049                               | Sloan Valve              |  | EL (juvenile bowl height: 13.5-inch = 343 mm)                          | ST2449   | Top  | 10                 | E                               |                   |                              | F                              | WS                                    | Sloan                     | Crown 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 45-025                               | Sloan Valve              |  | EL (juvenile bowl height: 13.5-inch = 343 mm)                          | ST2449   | Top  | 10                 | E                               |                   |                              | F                              | WS                                    | Sloan                     | ECOS 111-1.1   | 800                   |                                      | HET   | 1.10                   | D  |  |
| 45-024                               | Sloan Valve              |  | EL (juvenile bowl height: 13.5-inch = 343 mm)                          | ST2449   | Top  | 10                 | E                               |                   |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 45-023                               | Sloan Valve              |  | EL (juvenile bowl height: 13.5-inch = 343 mm)                          | ST2449   | Top  | 10                 | E                               |                   |                              | F                              | WS                                    | Sloan                     | WES 111.1.1/1.6 DUAL FLUSH                                 | 1,000                 |                                      | HET   | 1.60                   | D  |  |
| 38-019                               | Sloan Valve              | WETS 2451.1101-1.1 ECOS                | EL (wall mount-ADA possible)   | ST2459   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | ECOS 8111-1.1  | 800                   |                                      | HET   | 1.10                   | D  | WS                                     |
| 42-009                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2459   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal 111-1.6  | 1,000                 | ULF                                  |   | D                      |  |  |
| 42-008                               | Sloan Valve              |  | DUAL FLUSH (wall mount-ADA possible)                                   | ST2459   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | WES 111 Uppercut DUAL FLUSH                                | 1,000                 |                                      | HET   | 1.60                   | D  |  |
| 41-026                               | Sloan Valve              |  | EL (wall mount-ADA possible)   | ST2469   | Rear | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | Royal 152-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 24-120RN40                           | Toto                     |  | EL   | CT705E   | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Toto                      | TMT 1NNC   | 600                   | ULF                                  |   | P                      |  |  |
| 13-039RN28-RN44                      | Toto                     |  | EL   | CT705ELN (G)                                     | Top  | N.A.               | E                               | ADA               |                              | F                              | WS                                    | Toto                      | TMT 1LN-32 (manual valve)                                  | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 13-040RN28-RN44                      | Toto                     |  | EL ADA   | CT705ELN (G)                                     | Top  | N.A.               | E                               | ADA               |                              | F                              | WS                                    | Toto                      | TMT 1LN-32 (manual valve)                                  | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 42-001                               | Toto                     |  | EL   | CT705ELN(G)                                      | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Toto                      | TET 1LA32 OR TET 6LA32 OR TET2LA31/32/33 OR TET3LA31/32/33 | 800                   |                                      | HET   | 1.28                   | P  | WS                                     |
| 13-039RN28-RN44                      | Toto                     |  | EL   | CT705EN (G)                                      | Top  | N.A.               | E                               | ADA               |                              | F                              | WS                                    | Toto                      | TMT 1LN-32 (manual valve)                                  | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 42-001                               | Toto                     |  | EL   | CT705EN(G)                                       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Toto                      | TET 1LA32 OR TET 6LA32 OR TET2LA31/32/33 OR TET3LA31/32/33 | 800                   |                                      | HET   | 1.28                   | P  | WS                                     |
| 24-103RN40                           | Toto                     |  | EL (wall mount-ADA possible)   | CT708E   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Toto                      | TMT 1NNC   | 600                   | ULF                                  |   | P                      |  |  |
| 13-041RN28-RN44                      | Toto                     |  | EL ADA   | CT708E (G)                                       | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Toto                      | TMT 1LN-32 (manual valve)                                  | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 13-042RN28-RN44                      | Toto                     |  | EL ADA   | CT708EV  | Rear | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Toto                      | TMT 1LN-32 (manual valve)                                  | 1,000                 |                                      | HET   | 1.28                   | P  |  |
| 41-025                               | Tynan                    |  | Torc EL  | 7501   | Top  |                    | E                               |                   |                              | F                              | WS                                    | Sloan                     | ECOS 8111-1.1  | 1,000                 |                                      | HET   | 1.10                   | D  | WS                                     |
| 41-024                               | Tynan                    |  | Torrin EL ADA  | 7502   | Top  |                    | E                               | ADA               |                              | F                              | WS                                    | Sloan                     | ECOS 8111-1.1  | 1,000                 |                                      | HET   | 1.10                   | D  | WS                                     |
| 41-023                               | Tynan                    |  | Lir EL (wall mount-ADA possible)                                       | 7503   | Top  | N.A.               | E                               | ADA               | R                            | W                              | WS                                    | Sloan                     | ECOS 8111-1.1  | 1,000                 |                                      | HET   | 1.10                   | D  | WS                                     |
| 28-064RN44                           | Tynan                    |  | Brady RF (child's bowl height: 10-inch = 254 mm)                       | 4505HE (child's bowl height: 10-inch = 254 mm)   | Top  |                    | R                               |                   |                              | F                              | WS                                    | Sloan                     | Royal 111-1.28   | 1,000                 |                                      | HET   | 1.28                   | D  | WS                                     |
| 17-059RN33                           | Vitra                    |  | Evergreen Flushometer HET EL (wall mount-ADA possible)                 | 5425   | Top  | Top                | E                               | ADA               | R                            | W                              |                                       | Toto                      | TMT 1LN (previously TMT 1HNCR)                             | 600                   |                                      | HET   | 1.28                   | P  |  |









| MaP Report No.<br>(for internal use) | Flushometer bowl         |   |                 |                          |      |                    |                                 |                 |                              |                                | Flushometer valve                     |                           |                    |                       |                                      |   |                        |                                      |  |
|--------------------------------------|--------------------------|---|-----------------|--------------------------|------|--------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--------------------|-----------------------|--------------------------------------|---|------------------------|--------------------------------------|--|
|                                      | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name | Bowl Model Number        | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: D=Diaphragm, P=Pliston | WaterSense Compliant Valve (certified) |
| 21-081mRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | Z6200PL-HET        | 1,000                 |                                      | HET   | 1.28                   | P                                    |  |
| 21-082mRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET     | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082oRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET-IS  | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082sRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET     | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082tRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET-IS  | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-081kRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6200-HET       | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-081LRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6200-HET-IS    | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-081oRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6200PL-HET     | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-081pRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6200PL-HET-IS  | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082LRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000AV-HET      | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082qRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000PL-HET      | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-081rRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6200-HET        | 1,000                 |                                      | HET   | 1.28                   | P                                    |  |
| 21-081nRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6200PL-HET      | 1,000                 |                                      | HET   | 1.28                   | P                                    |  |
| 21-082mRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000AV-HET       | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-082rRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL HET w/BPL      | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000PL-HET       | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-083kRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | Z6000AV-WS1        | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083pRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | Z6000PL-WS1        | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083oRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-HET-IS  | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-083nRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-WS1     | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083tRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-HET-IS  | 1,000                 |                                      | HET   | 1.28                   | D                                    |  |
| 21-083sRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-WS1     | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083LRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000AV-WS1      | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083qRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000PL-WS1      | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083mRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000AV-WS1       | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 21-083rRN37                          | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL          | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000PL-WS1       | 1,000                 | ULF                                  |   |                        | D                                    |  |
| 44-094                               | Zurn                     |   | EL ADA          | Z5666-BWL1               | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | Z6000AV-ONE        | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5666-BWL1               | Top  | 12                 | F                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-ONE     | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5666-BWL1               | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000AV-ONE      | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5666-BWL1               | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000AV-ONE       | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 41-014                               | Zurn                     |   | EL ADA          | Z5666-BWL1 w/BPL         | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200-ONE        | 1,000                 |                                      | HET   | 1.10                   | P                                    | WS                                     |
| 41-016                               | Zurn                     |   | EL ADA          | Z5666-BWL1 w/BPL         | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P                                    |  |
| 41-012                               | Zurn                     |   | EL ADA          | Z5666-BWL1 w/BPL         | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200EV          | 1,000                 |                                      | HET   | 1.28                   | P                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5667-BWL1 (back outlet) | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | Z6000AV-ONE        | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5667-BWL1 (back outlet) | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-ONE     | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5667-BWL1 (back outlet) | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZER6000AV-ONE      | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 44-094                               | Zurn                     |   | EL ADA          | Z5667-BWL1 (back outlet) | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZR6000AV-ONE       | 1,000                 |                                      | HET   | 1.10                   | D                                    | WS                                     |
| 41-014                               | Zurn                     |   | EL ADA          | Z5667-BWL1 w/AM glaze    | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200-ONE        | 1,000                 |                                      | HET   | 1.10                   | P                                    | WS                                     |
| 41-016                               | Zurn                     |   | EL ADA          | Z5667-BWL1 w/AM glaze    | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P                                    |  |
| 41-012                               | Zurn                     |   | EL ADA          | Z5667-BWL1 w/AM glaze    | Rear | 12                 | E                               | ADA             |                              | F                              | WS                                    | Zurn                      | ZTR6200EV          | 1,000                 |                                      | HET   | 1.28                   | P                                    | WS                                     |

Notes: \*-Rough-in dimension shown is the actual dimension of the tested installaiton; some bowls on this list may accommodate BOTH 10-inch and 12-inch rough-in

RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

N.A. - Wall (rear) outlet bowl. Rough-in dimension is NOT applicable.

S - Special bowl height for child installations as follows:

Amer Std Approx. 10.4 inches to 14 inches (260 to 355 mm)

Gerber Approx. 13.4 inches (340 mm)

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

G - Gallons per Flush

L - Litres per Flush

BPL - Bowl with Bed Pan Lugs