

**Maximum Performance (MaP)® of Toilet Fixtures - Flushometer Valve/Bowl Combinations (ULF: 1.6 gallon/6.0 litre max Effective Flush Volume)**

**IMPORTANT NOTE:** The evaluation and MaP measurement of the flushometer bowl/valve combinations shown below was performed using the existing MaP protocol designed for residential applications. A more rigorous MaP protocol for non-residential (public restroom) applications is under development. Note that the results may change if the combinations shown below are re-tested using a (proposed) new commercial protocol.

**March 20, 2018**

| MaP Report No.<br>(for internal use) | Flushometer bowl         |   |  |  |      |                    |                                 |                 | Flushometer valve            |                                |                                       |                           |                          |                       |                                      |   |                        |                                     |
|--------------------------------------|--------------------------|---|--|--|------|--------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--------------------------|-----------------------|--------------------------------------|---|------------------------|-------------------------------------|
|                                      | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name  | Bowl Model Number                                  | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number       | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: D=Diaphragm; P=Piston |
| 30-077RN46                           | American Standard        |   | Afwall EC EL ADA (1.6 gal/flush)                                   | 3353.101   | Rear | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EC EL ADA (1.6 gal/flush)                                   | 3352.101 (w/BPL)                                   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EC EL ADA (1.6 gal/flush)                                   | 3354.101 (rear outlet w/BPL)                       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        | 3351660.020                                   | Afwall EC TS EL ADA (1.28 gal/flush)                               | 3351.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-135RN28-RN44                      | American Standard        |   | Afwall EL  | 3351.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-135RN28-RN44                      | American Standard        |   | Afwall EL  | 3352.101 (w/bedpan lugs)                           | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-031RN33                           | American Standard        | 2257660.020                                   | Afwall EL ADA  | 2257.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-031RN33                           | American Standard        | 2257716.020                                   | Afwall EL ADA  | 2257.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-034RN33                           | American Standard        | 3351660.020                                   | Afwall EL ADA  | 3351.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-034RN33                           | American Standard        | 3351716.020                                   | Afwall EL ADA  | 3351.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EL ADA (1.6 gal/flush)                                      | 2257.101   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EL ADA (1.6 gal/flush)                                      | 2634.101   | Rear | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EL ADA (1.6 gal/flush)                                      | 2257.101NAF  | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall EL ADA (1.6 gal/flush)                                      | 2633.101 (w/BPL)                                   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall FloWise EC EL ADA (1.6 gal/flush)                           | 2294.011   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 30-077RN46                           | American Standard        |   | Afwall FloWise EC EL ADA (1.6 gal/flush)                           | 2296.019 (w/BPL)                                   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 25-052RN41                           | American Standard        |   | Baby Devero FV Universal (child's bowl height: 10.4-inch = 260 mm) | 2282.001 (child's bowl height: 10.4-inch = 260 mm) | Top  |                    |                                 | S               |                              | F                              | WS                                    | American Standard         | 6065.161.002             | 800                   | ULF                                  |   |                        | P                                   |
| 22-070RN38                           | American Standard        |   | Back Spud Rapidway EL (wall mount-ADA possible)                    | 3445L.101  | Rear | N.A.               | E                               | ADA             | R                            | W                              |                                       | Sloan                     | Solaris 8111             | 600                   | ULF                                  |   |                        | D                                   |
| 17-032RN33                           | American Standard        | 2234660.020                                   | Madera EL  | 2234.001   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-032RN33                           | American Standard        | 2234716.020                                   | Madera EL  | 2234.001   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-026RN33                           | American Standard        | 3451660.020                                   | Madera EL  | 3451.001   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-026RN33                           | American Standard        | 3451716.020                                   | Madera EL  | 3451.001   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-129RN28-RN44                      | American Standard        |   | Madera EL  | 3451.001   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-130RN28-RN44                      | American Standard        |   | Madera EL  | 3453.001   | Rear | 10                 | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-129RN28-RN44                      | American Standard        |   | Madera EL  | 3452.001 (w/bedpan lugs)                           | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-130RN28-RN44                      | American Standard        |   | Madera EL  | 3455.001 (w/bedpan lugs)                           | Rear | 10                 | E                               |                 |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-033RN33                           | American Standard        | 3043660.020                                   | Madera EL ADA  | 3043.001   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-033RN33                           | American Standard        | 3043716.020                                   | Madera EL ADA  | 3043.001   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-027RN33                           | American Standard        | 3461660.020                                   | Madera EL ADA  | 3461.001   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | American Standard         | 6065.161.002 (battery)   | 1,000                 | ULF                                  |   |                        | P                                   |
| 17-027RN33                           | American Standard        | 3461716.020                                   | Madera EL ADA  | 3461.001   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | American Standard         | 6067.161.002 (hard wire) | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-131RN28-RN44                      | American Standard        |   | Madera EL ADA  | 3461.001   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 10-131RN28-RN44                      | American Standard        |   | Madera EL ADA  | 3462.001 (w/bedpan lugs)                           | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 27-001RN43                           | American Standard        |   | Madera Youth FloWise (youth bowl height: 14-inch = 355 mm)         | 2599.001 (youth bowl height: 14-inch = 355 mm)     | Top  |                    | E                               |                 |                              | F                              | WS                                    | American Standard         | 6065.565.002             | 1,000                 | ULF                                  |   |                        | P                                   |
| 40-014                               | American Standard        |   | Priolo EL  | 3690.001   | Top  | 14                 | E                               |                 | W                            | F                              | WS                                    | American Standard         | 6065.111 (1.6 gpf)       | 1,000                 | ULF                                  |   |                        | P                                   |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3695.001   | Top  | N.A.               | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3697.001   | Rear | N.A.               | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3696.001 (w/ bed pan lugs)                         | Top  | N.A.               | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 13-094RN28-RN44                      | American Standard        |   | Priolo EL ADA  | 3698.001 (w/ bed pan lugs)                         | Rear | N.A.               | E                               | ADA             | R                            | F                              | WS                                    | Toto                      | TET 1 DNCR (1-1/2")      | 1,000                 | ULF                                  |   |                        | P                                   |
| 22-070RN38                           | American Standard        |   | Top Spud Rapidway EL (wall mount-ADA possible)                     | 34453.101  | Top  | N.A.               | E                               | ADA             | R                            | W                              |                                       | Sloan                     | Solaris 8111             | 600                   | ULF                                  |   |                        | D                                   |
| 43-005                               | AMTC                     | AEF**1012T16                                  | None EL  | AUT-1012   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | AMTC                      | AEF-801-**-CT-16         | 800                   | ULF                                  |   |                        | D                                   |
| 43-005                               | AMTC                     | HSM1012T16                                    | None EL  | AUT-1012   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | AMTC                      | HSM-801-CT-16            | 800                   | ULF                                  |   |                        | D                                   |
| 43-005                               | AMTC                     | MF1012T16                                     | None EL  | AUT-1012   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | AMTC                      | MF-700-T16               | 800                   | ULF                                  |   |                        | D                                   |
| 43-004                               | AMTC                     | AEF**1012AT16                                 | None EL ADA  | AUT-1012A  | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | AMTC                      | AEF-801-**-CT-16         | 800                   | ULF                                  |   |                        | D                                   |
| 43-004                               | AMTC                     | HSM1012AT16                                   | None EL ADA  | AUT-1012A  | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | AMTC                      | HSM-801-CT-16            | 800                   | ULF                                  |   |                        | D                                   |
| 43-004                               | AMTC                     | MF1012AT16                                    | None EL ADA  | AUT-1012A  | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | AMTC                      | MF-700-T16               | 800                   | ULF                                  |   |                        | D                                   |
| 43-003                               | AMTC                     | AEF**1012WT16                                 | None EL (wall mount-ADA possible)                                  | AUT-1012W  | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | AMTC                      | AEF-801-**-CT-16         | 800                   | ULF                                  |   |                        | D                                   |
| 43-003                               | AMTC                     | HSM1012WT16                                   | None EL (wall mount-ADA possible)                                  | AUT-1012W  | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | AMTC                      | HSM-801-CT-16            | 800                   | ULF                                  |   |                        | D                                   |
| 43-003                               | AMTC                     | MF1012WT16                                    | None EL (wall mount-ADA possible)                                  | AUT-1012W  | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | AMTC                      | MF-700-T16               | 800                   | ULF                                  |   |                        | D                                   |
| 44-092                               | Gerber                   |   | None RF  | 25-820   | Top  | 10                 | R                               |                 |                              | F                              |                                       | Sloan                     | 111-1.6                  | 1,000                 | ULF                                  |   |                        | D                                   |
| 21-004RN37                           | Kohler                   |   | Highcrest EL   | K-4302   | Top  |                    | E                               | ADA             |                              | F                              |                                       | Kohler                    | K-10674-CP               | 1,000                 | ULF                                  |   |                        | P                                   |
| 32-043RN48                           | Kohler                   |   | Kingston EL (wall mount-ADA possible)                              | K-4325   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Moen                      | 8310M16                  | 1,000                 | ULF                                  |   |                        | P                                   |

| MaP Report No.<br>(or internal use) | Flushometer bowl         |   |   |  |      |                    |                                 |                 |                              |                                | Flushometer valve                     |                           |                                  |                       |                                      |   |                        |                                     |  |
|-------------------------------------|--------------------------|---|---|--|------|--------------------|---------------------------------|-----------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|----------------------------------|-----------------------|--------------------------------------|---|------------------------|-------------------------------------|--|
|                                     | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name   | Bowl Model Number                                | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number               | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: D=Diaphragm; P=Piston | WaterSense Compliant Valve (certified) |
| 21-003RN37 & 16-007                 | Kohler                   |   | Welcomme EL   | K-4350   | Top  |                    | E                               |                 |                              | F                              |                                       | Kohler                    | K-10674-CP                       | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-005                              | Sloan Valve              |   | EL  | ST2009   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | Crown 111-1.6                    | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-012                              | Sloan Valve              |   | EL  | ST2009   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6          | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-010                              | Sloan Valve              |   | EL  | ST2009   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | Gem 2 111-1.6                    | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 30-046RN46                          | Sloan Valve              |   | EL  | ST2009   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-008                              | Sloan Valve              |   | EL  | ST2009   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.6                   | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-006                              | Sloan Valve              |   | EL ADA  | ST2029   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Crown 111-1.6                    | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-028                              | Sloan Valve              |   | EL ADA  | ST2029   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6          | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-026                              | Sloan Valve              |   | EL ADA  | ST2029   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Gem 2 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 30-042RN46                          | Sloan Valve              |   | EL ADA  | ST2029   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-024                              | Sloan Valve              |   | EL ADA  | ST2029   | Top  | 10                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.6                   | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-022                              | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2059   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | Crown 111-1.6                    | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-018                              | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2059   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6          | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-016                              | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2059   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | Gem 111-1.6                      | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 30-039RN46                          | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2059   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-045                              | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2059   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | Solis 8111-1.6                   | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-041                              | Sloan Valve              |   | EL ADA  | ST2229   | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Crown 111-1.6                    | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-037                              | Sloan Valve              |   | EL ADA  | ST2229   | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | G2 Optima Plus 8111-1.6          | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-035                              | Sloan Valve              |   | EL ADA  | ST2229   | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Gem 111-1.6                      | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 36-043 & 32-119                     | Sloan Valve              |   | Efficiency Series EL ADA                                    | ST2229   | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 36-033                              | Sloan Valve              |   | Efficiency Series EL ADA                                    | ST2229   | Top  | 12                 | E                               | ADA             |                              | F                              | WS                                    | Sloan                     | Solis 8111-1.6                   | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 32-116RN48                          | Sloan Valve              |   | Efficiency Series (child's bowl height: 10.5-inch = 267 mm) | ST2309 (child's bowl height: 10.5-inch = 267 mm) | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 45-024                              | Sloan Valve              |   | EL (juvenile bowl height: 13.5-inch = 343 mm)               | ST2449   | Top  | 10                 | E                               |                 |                              | F                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 42-009                              | Sloan Valve              |   | EL (wall mount-ADA possible)                                | ST2459   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Sloan                     | Royal 111-1.6                    | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 24-120RN40                          | Toto                     |   | EL  | CT705E   | Top  | 12                 | E                               |                 |                              | F                              | WS                                    | Toto                      | TMT 1NNC                         | 600                   | ULF                                  |   |                        | P                                   |  |
| 24-103RN40                          | Toto                     |   | EL (wall mount-ADA possible)                                | CT708E   | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Toto                      | TMT 1NNC                         | 600                   | ULF                                  |   |                        | P                                   |  |
| 16-027RN32                          | Vortens                  |   | Atenas EL ADA   | 3108   | Top  | Top                | E                               | ADA             | R                            | W                              |                                       | Toto                      | TMT 1HNCR                        | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 16-122RN32                          | Vortens                  |   | Vienna H Flux EL ADA  | 3114-V   | Top  |                    | E                               | ADA             |                              | F                              |                                       | Toto                      | Toto TMT 1HNCR                   | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 17-043RN33                          | Vortens                  |   | Vienna H Flux EL ADA  | 3114-V   | Top  |                    | E                               | ADA             |                              | F                              |                                       | Zurn                      | Z6000AV-WS1-DF Single Flush (6L) | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 16-123RN32                          | Vortens                  |   | Vienna EL Flux  | 3115-V   | Top  |                    | E                               |                 |                              | F                              |                                       | Toto                      | TMT 1HNCR                        | 1,000                 | ULF                                  |   |                        | P                                   |  |
| 21-089RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              |                                       | Zurn                      | Z6000AV-WS1                      | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | Z6000PL-WS1                      | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | Z6200-WS1                        | 800                   | ULF                                  |   |                        | P                                   |  |
| 21-089RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6000AV-WS1                   | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6000PL-WS1                   | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097CRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6200-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097DRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS                  | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089BRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6000AV-WS1                    | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089RN37                          | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6000PL-WS1                    | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097BRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6200-WS1                      | 800                   | ULF                                  |   |                        | P                                   |  |
| 21-089CRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZR6000AV-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089HRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5615-BWL (wall-hung-back outlet)                | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZR6000PL-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089KRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              |                                       | Zurn                      | Z6000AV-WS1                      | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089PRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | Z6000PL-WS1                      | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097eRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | Z6200-WS1                        | 800                   | ULF                                  |   |                        | P                                   |  |
| 21-089nRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6000AV-WS1                   | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089sRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6000PL-WS1                   | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097gRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6200-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097hRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS                  | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089LRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6000AV-WS1                    | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089qRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6000PL-WS1                    | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-097FRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZER6200-WS1                      | 800                   | ULF                                  |   |                        | P                                   |  |
| 21-089mRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZR6000AV-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 21-089rRN37                         | Zurn                     |   | EL (wall mount-ADA possible)                                | Z5616-BWL (wall-hung-back outlet with BPL)       | Top  | N.A.               | E                               | ADA             | R                            | W                              | WS                                    | Zurn                      | ZR6000PL-WS1                     | 800                   | ULF                                  |   |                        | D                                   |  |
| 19-049RN36                          | Zurn                     |   | EL  | Z5640 (back outlet)                              | Top  |                    | E                               |                 |                              | F                              |                                       | Zurn                      | Z6000AV-WS1                      | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 21-086RN37                          | Zurn                     |   | EL  | Z5655-BWL  | Top  | 12                 | E                               |                 |                              | F                              | WS                                    | Zurn                      | Z6000AV-WS1                      | 1,000                 | ULF                                  |   |                        | D                                   |  |
| 21-086FRN37                         | Zurn                     |   | EL  | Z5655-BWL  | Top  | 12                 | E                               |                 |                              | F                              | WS                                    | Zurn                      | Z6000PL-WS1                      | 1,000                 | ULF                                  |   |                        | D                                   |  |

| MaP Report No.<br>(or internal use) | Flushometer bowl         |   |                 |                       |      |                    |                                 | Flushometer valve |                              |                                |                                       |                           |                    |                       |                                      |   |                        |   |  |
|-------------------------------------|--------------------------|---|-----------------|-----------------------|------|--------------------|---------------------------------|-------------------|------------------------------|--------------------------------|---------------------------------------|---------------------------|--------------------|-----------------------|--------------------------------------|---|------------------------|---|--|
|                                     | Manufacturer of the Bowl | Bowl/ Valve Combination Number (if available) | Bowl Model Name | Bowl Model Number     | Spud | Rough-in (inches)* | Round (R) or Elongated (E) bowl | ADA Height Bowl   | Rear Discharge (Back Outlet) | Floor- (F) OR Wall-Mounted (W) | WaterSense Compliant Bowl (certified) | Manufacturer of the Valve | Valve Model Number | MaP Performance Score | 6-L (1.6-gal) Commercial Combination | 4.8-L (1.28-gal) HET Commercial Combination | Rated HET Flush Volume | Valve design: P= Piston D= Diaphragm; P= Piston | WaterSense Compliant Valve (certified) |
| 21-084RN37                          | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | Z6200-WS1          | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-086dRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086iRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084cRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084dRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS    | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086bRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6000AV-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086gRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6000PL-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084bRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6200-WS1        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-086cRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZR6000AV-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086hRN37                         | Zurn                     |   | EL              | Z5655-BWL             | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZR6000PL-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 41-011                              | Zurn                     |   | EL              | Z5655-BWL1            | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-086kRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | Z6000AV-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086pRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | Z6000PL-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084eRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | Z6200-WS1          | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-086nRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086eRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084gRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084hRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS    | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086lRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6000AV-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086qRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6000PL-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-084fRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZER6200-WS1        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-086mRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZR6000AV-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-086rRN37                         | Zurn                     |   | EL              | Z5656-BWL w/BPL       | Top  | 12                 | E                               |                   |                              | F                              | WS                                    | Zurn                      | ZR6000PL-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 41-011                              | Zurn                     |   | EL              | Z5656-BWL1 w/BPL      | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P   |  |
| 41-011                              | Zurn                     |   | EL              | Z5657-BWL1 w/AM glaze | Rear | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-083RN37                          | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6000AV-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083fRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6000PL-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080rRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6200-WS1          | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-083dRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083iRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080cRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080dRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS    | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083bRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6000AV-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083gRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6000PL-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080bRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6200-WS1        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-083cRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZR6000AV-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083hRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL             | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZR6000PL-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080eRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6200-WS1          | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-080gRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080hRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6200-WS1-IS    | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-080fRN37                         | Zurn                     |   | EL ADA          | Z5665-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6200-WS1        | 1,000                 | ULF                                  |   |                        | P   |  |
| 41-016                              | Zurn                     |   | EL ADA          | Z5665-BWL1            | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P   |  |
| 21-083kRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6000AV-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083pRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | Z6000PL-WS1        | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083nRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6000AV-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083sRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZEMS6000PL-WS1     | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083lRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6000AV-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083mRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZER6000PL-WS1      | 1,000                 | ULF                                  |   |                        | D   |  |
| 21-083rRN37                         | Zurn                     |   | EL ADA          | Z5666-BWL w/BPL       | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZR6000AV-WS1       | 1,000                 | ULF                                  |   |                        | D   |  |
| 41-016                              | Zurn                     |   | EL ADA          | Z5666-BWL1 w/BPL      | Top  | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZR6000PL-WS1       | 1,000                 | ULF                                  |   |                        | P   |  |
| 41-016                              | Zurn                     |   | EL ADA          | Z5667-BWL1 w/AM glaze | Rear | 12                 | E                               | ADA               |                              | F                              | WS                                    | Zurn                      | ZTR6200-W1S        | 1,000                 | ULF                                  |   |                        | P   |  |

Notes: \*-Rough-in dimension shown is the actual dimension of the tested installation; some bowls on this list may accommodate BOTH 10-inch and 12-inch rough-in

RF - Round-front toilet bowl

EL - Elongated-front toilet bowl

N.A. - Wall (rear) outlet bowl. Rough-in dimension is NOT applicable.

S - Special bowl height for child installations as follows:

Amer Std                      Approx. 10.4 inches to 14 inches (260 to 355 mm)

Gerber                         Approx. 13.4 inches (340 mm)

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

G - Gallons per Flush

L - Litres per Flush

BPL - Bowl with Bed Pan Lugs