





Map Report No. (for internal use)	Flushometer bowl										Flushometer valve								
	Manufacturer of the Bowl	Bowl/ Valve Combination Number (if available)	Bowl Model Name	Bowl Model Number	Spud	Rough-in (inches)*	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear Discharge (Back Outlet)	Floor- (F) OR Wall-Mounted (W)	WaterSense Compliant Bowl (certified)	Manufacturer of the Valve	Valve Model Number	Map Performance Score	6-L (1.6-gal) Commercial Combination	4.8-L (1.28-gal) HET Commercial Combination	Rated HET Flush Volume	Valve Design: D=Diaphragm; P=Piston	WaterSense Compliant Valve (Certified)
10-133RN28-RN44	American Standard		Madera FloWise EL ADA	3462.001 (w/ bedpan lugs)	Top	10	E	ADA		F	WS	Sloan	111-1.28 (1-1/2")	1,000		HET	1.28	P	
10-131RN28-RN44	American Standard		Madera EL ADA	3462.001 (w/ bedpan lugs)	Top	10	E	ADA		F	WS	Toto	TET 1 DNCR (1-1/2")	1,000	ULF			P	
13-094RN28-RN44	American Standard		Priolo EL ADA	3696.001 (w/ bed pan lugs)	Top	N.A.	E	ADA	R	F	WS	Toto	TET 1 DNCR (1-1/2")	1,000	ULF			P	
13-092RN28-RN44	American Standard		Priolo EL ADA	3696.001 (w/ bed pan lugs)	Top	N.A.	E	ADA	R	F	WS	Sloan	111-1.28 (1-1/2")	1,000		HET	1.28	P	
13-092RN28-RN44	American Standard		Priolo EL ADA	3698.001 (w/ bed pan lugs)	Rear	N.A.	E	ADA	R	F	WS	Toto	TET 1 DNCR (1-1/2")	1,000		HET	1.28	P	
13-094RN28-RN44	American Standard		Priolo EL ADA	3698.001 (w/ bed pan lugs)	Rear	N.A.	E	ADA	R	F	WS	Toto	TET 1 DNCR (1-1/2")	1,000	ULF			P	
43-005	AMTC	AEF**1012T11	None EL	AUT-1012	Top	10	E			F	WS	AMTC	AEF-801-**-CT-11	800		HET	1.10	D	WS
43-005	AMTC	AEF**1012T12	None EL	AUT-1012	Top	10	E			F	WS	AMTC	AEF-801-**-CT-12	800		HET	1.28	D	WS
43-005	AMTC	AEF**1012T16	None EL	AUT-1012	Top	10	E			F	WS	AMTC	AEF-801-**-CT-16	800	ULF			D	WS
43-005	AMTC	HSM1012T11	None EL	AUT-1012	Top	10	E			F	WS	AMTC	HSM-801-CT-11	800		HET	1.10	D	WS
43-005	AMTC	HSM1012T12	None EL	AUT-1012	Top	10	E			F	WS	AMTC	HSM-801-CT-12	800		HET	1.28	D	WS
43-005	AMTC	HSM1012T16	None EL	AUT-1012	Top	10	E			F	WS	AMTC	HSM-801-CT-16	800	ULF			D	WS
43-005	AMTC	MF1012T11	None EL	AUT-1012	Top	10	E			F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
43-005	AMTC	MF1012T12	None EL	AUT-1012	Top	10	E			F	WS	AMTC	MF-700-T12	800		HET	1.28	D	WS
43-005	AMTC	MF1012T16	None EL	AUT-1012	Top	10	E			F	WS	AMTC	MF-700-T16	800	ULF			D	WS
43-004	AMTC	AEF**1012AT11	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	AEF-801-**-CT-11	800		HET	1.10	D	WS
43-004	AMTC	AEF**1012AT12	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	AEF-801-**-CT-12	800		HET	1.28	D	WS
43-004	AMTC	AEF**1012AT16	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	AEF-801-**-CT-16	800	ULF			D	WS
43-004	AMTC	HSM1012AT11	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	HSM-801-CT-11	800		HET	1.10	D	WS
43-004	AMTC	HSM1012AT12	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	HSM-801-CT-12	800		HET	1.28	D	WS
43-004	AMTC	HSM1012AT16	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	HSM-801-CT-16	800	ULF			D	WS
43-004	AMTC	MF1012AT11	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
43-004	AMTC	MF1012AT12	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	MF-700-T12	800		HET	1.28	D	WS
43-004	AMTC	MF1012AT16	None EL ADA	AUT-1012A	Top	10	E	ADA		F	WS	AMTC	MF-700-T16	800	ULF			D	WS
43-003	AMTC	AEF**1012WT11	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	AEF-801-**-CT-11	800		HET	1.10	D	WS
43-003	AMTC	AEF**1012WT12	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	AEF-801-**-CT-12	800		HET	1.28	D	WS
43-003	AMTC	AEF**1012WT16	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	AEF-801-**-CT-16	800	ULF			D	WS
43-003	AMTC	HSM1012WT11	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	HSM-801-CT-11	800		HET	1.10	D	WS
43-003	AMTC	HSM1012WT12	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	HSM-801-CT-12	800		HET	1.28	D	WS
43-003	AMTC	HSM1012WT16	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	HSM-801-CT-16	800	ULF			D	WS
43-003	AMTC	MF1012WT11	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
43-003	AMTC	MF1012WT12	None EL (wall mount-ADA possible)	AUT-1012W	Top	N.A.	E	ADA	R	W	WS	AMTC	MF-700-T12	800		HET	1.28	D	WS
35-019	ASC		Verna RF	412740	Rear				R			Delany	Saber S402-1.28-SC-T42	800	ULF			D	
35-018	ASC		Verna RF	412750 (12-in rough-in)	Top	12	R			F		Delany	Saber S402-1.28-SC-T42	600		HET	1.28	D	
16-045RN32-RN48	Briggs		Carlton EL	7711	Top					F		Sloan	Royal 111-1.28	800		HET	1.28	D	WS
45-001	Briggs		None RF	7751	Back	12	R		R	F		Sloan	Royal 111-1.28	1,000	HET		1.28	D	WS
16-166RN32-RN48	Briggs		Sultan EL ADA	7781	Top	N.A.	E	ADA	R	W		Sloan	Royal 111-1.28	800		HET	1.28	D	WS
50-041	Briggs		None EL ADA	7791	Top	10	E	ADA		F		Sloan	Royal 111-1.28	1,000	HET		1.28	D	WS
16-139RN32-RN48	Conrac		Colter EL	4762BEU	Rear		E			F		Sloan	Royal 111-1.28	600		HET	1.28	D	WS
15-106RN31-RN47	Conrac		Colter Commercial EL	4762BEX	Top		E			F		Sloan	111-1.28	850		HET	1.28	P	WS
34-003RN50	Conrac		Colter Commercial EL	4762BEX	Top		E			F		Delta	81T201-48	1,000		HET	1.28	D	
16-138RN32-RN48	Conrac		Clay EL	4762BOU	Rear		E			F		Sloan	Royal 111-1.28	550		HET	1.28	D	WS
15-107RN31-RN47	Conrac		Clay Commercial EL ADA	4762BOX	Top		E	ADA		F		Sloan	111-1.28	800		HET	1.28	P	WS
34-002RN50	Conrac		Clay Commercial EL ADA	4762BOX	Top		E	ADA		F		Delta	81T201-48	1,000		HET	1.28	D	
16-137RN32-RN48	Conrac		Clark EL (wall mount-ADA possible)	4762CEU	Rear	N.A.	E	ADA	R	W		Sloan	Royal 111-1.28	550		HET	1.28	D	WS
15-105RN31-RN47	Conrac		Clark Commercial EL (wall mount-ADA possible)	4762CEX	Top	N.A.	E	ADA	R	W		Sloan	111-1.28	800		HET	1.28	P	WS
34-001RN50	Conrac		Clark Commercial EL (wall mount-ADA possible)	4762CEX	Top	N.A.	E	ADA	R	W		Delta	81T201-48	1,000		HET	1.28	D	
43-018	Conrac		Clark Commercial EL (wall mount-ADA possible)	4762CEX	Top	N.A.	E	ADA	R	W		Moen	8310AC16	500		HET	1.28	P	
50-005	Conrac		Colter Commercial EL	4765BEU	Rear	10	E			F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
50-004	Conrac		Colter Commercial EL	4765BEX	Top	10	E			F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
50-003	Conrac		Clay Commercial EL ADA	4765BOU	Rear	10	E	ADA		F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
50-002	Conrac		Clay Commercial EL ADA	4765BOX	Top	10	E	ADA		F	WS	AMTC	MF-700-T11	800		HET	1.10	D	WS
46-041	Duravit		Stark 3 (wall-mount - ADA possible)	222909	Top	N.A.	S	ADA	R	W	WS	Toto	TET 1LN-32	600		HET	1.10	D	WS
46-040	Duravit		Stark 3 (wall-mount - ADA possible)	256009	Back	N.A.	S	ADA	R	W	WS	Toto	TET 1LN-31	600		HET	1.28	P	
44-093	Gerber		None EL (wall mount-ADA possible)	25-033	Top	N.A.	E	ADA	R	W	WS	Sloan	116-1.28	600		HET	1.28	D	
32-072RN48	Gerber		North Point 1.28 EL (ADA possible)	25-038	Top	N.A.	E	ADA	R	W	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
22-030RN38	Gerber		None RF	25-733	Top				E	F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
44-092	Gerber		None RF	25-820	Top	10	R			F		Sloan	111-1.6	1,000		HET	1.28	D	
22-029RN38	Gerber		North Point 1.28 EL	25-832	Top				E	F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
22-014RN38	Gerber		North Point Jr. 1.28 RF (Youth size bowl height: 13.4" = 340mm)	25-872 (Youth size bowl height: 13.4" = 340mm)	Top				E	F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
22-028RN38	Gerber		North Point 1.28 EL ADA	25-878	Top	N.A.	E	ADA	R	F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS

Map Report No. (for internal use)	Flushometer bowl										Flushometer valve								
	Manufacturer of the Bowl	Bowl/ Valve Combination Number (if available)	Bowl Model Name	Bowl Model Number	Spud	Rough-in (inches)*	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear Discharge (Back Outlet)	Floor- (F) OR Wall-Mounted (W)	WaterSense Compliant Bowl (certified)	Manufacturer of the Valve	Valve Model Number	Map Performance Score	6-L (1.6-gal) Commercial Combination	4.8-L (1.28-gal) HET Commercial Combination	Rated HET Flush Volume	Valve design: D=Diaphragm; P=Piston	WaterSense Compliant Valve (certified)
15-105RN31-RN47	Hajoca Mainline		Commercial EL (wall mount-ADA possible)	MLS10409	Top	N.A.	E	ADA	R	W		Sloan	111-1.28	800		HET	1.28	P	
34-001RN50	Hajoca Mainline		Commercial EL (wall mount-ADA possible)	MLS10409	Top	N.A.	E	ADA	R	W		Delta	81T201-48	1,000		HET	1.28	D	WS
15-106RN31-RN47	Hajoca Mainline		Commercial EL	MLS10410	Top		E			F		Sloan	111-1.28	850		HET	1.28	P	WS
34-003RN50	Hajoca Mainline		Commercial EL	MLS10410	Top		E			F		Delta	81T201-48	1,000		HET	1.28	D	
15-107RN31-RN47	Hajoca Mainline		Commercial EL ADA	MLS10411	Top		E	ADA		F		Sloan	111-1.28	800		HET	1.28	P	WS
34-002RN50	Hajoca Mainline		Commercial EL ADA	MLS10411	Top		E	ADA		F		Delta	81T201-48	1,000		HET	1.28	D	
15-105RN31-RN47	HD Supply-Seasons		Commercial EL (wall mount-ADA possible)	564805	Top	N.A.	E	ADA	R	W		Sloan	111-1.28	800		HET	1.28	P	WS
34-001RN50	HD Supply-Seasons		Commercial EL (wall mount-ADA possible)	564805	Top	N.A.	E	ADA	R	W		Delta	81T201-48	1,000		HET	1.28	D	
15-106RN31-RN47	HD Supply-Seasons		Commercial EL	564807	Top		E			F		Sloan	111-1.28	850		HET	1.28	P	WS
34-003RN50	HD Supply-Seasons		Commercial EL	564807	Top		E			F		Delta	81T201-48	1,000		HET	1.28	D	
15-107RN31-RN47	HD Supply-Seasons		Commercial EL ADA	564809	Top		E	ADA		F		Sloan	111-1.28	800		HET	1.28	P	WS
34-002RN50	HD Supply-Seasons		Commercial EL ADA	564809	Top		E	ADA		F		Delta	81T201-48	1,000		HET	1.28	D	
21-004RN37	Kohler		Highcrest EL	K-4302	Top		E	ADA		F		Kohler	K-10674-CP	1,000	ULF			P	
15-167RN31-RN47	Kohler		Kingston EL (wall mount-ADA possible)	K-4323	Rear	N.A.	E	ADA	R	W	WS	Kohler	K-10956	1,000		HET	1.28	P	
14-116RN31-RN47	Kohler		Kingston EL (wall mount-ADA possible)	K-4325	Top	N.A.	E	ADA	R	W	WS	Kohler	K-10956	1,000		HET	1.28	P	
23-053RN39	Kohler		Kingston EL (wall mount-ADA possible)	K-4325	Top	N.A.	E	ADA	R	W	WS	Kohler	K-13517 (manual actuation)	1,000		HET	1.28	P	WS
32-043RN48	Kohler		Kingston EL (wall mount-ADA possible)	K-4325	Top	N.A.	E	ADA	R	W	WS	Moen	8310M16	1,000	ULF			P	
21-003RN37 & 15-007	Kohler		Welcomme EL	K-4350	Top		E			F		Kohler	K-10674-CP	1,000	ULF			P	
18-002RN36	Kohler		Anglesey EL ADA	K-4352	Top		E	ADA		F	WS	Kohler	K-10956-CP	1,000		HET	1.28	P	
23-054RN39	Kohler		Anglesey CH EL ADA	K-4352	Top	N.A.	E	ADA	R	F	WS	Kohler	K-13517 (manual actuation)	1,000		HET	1.28	P	WS
21-006RN37	Kohler		Primary EL (child's bowl height: 10.5-inch = 267 mm)	K-4384 (child's bowl height: 10.5-inch = 267 mm)	Top		E			F		Kohler	K-10673-CP	500		HET	1.28	P	
23-055RN39	Kohler		Highline EL ADA	K-4405	Top		E	ADA		F		Kohler	K-13517 (manual actuation)	1,000		HET	1.28	P	WS
43-017	Kohler		Highline EL ADA	K-4405	Top	10	E	ADA		F		Moen	8310AC16	1,000		HET	1.28	P	
32-040RN48	Kohler		Highline EL ADA	K-4405	Top		E	ADA		F		Moen	8310EFV	1,000		HET	1.28	P	
12-001RN28-RN44	Kohler		Highline EL ADA	K-4405 and K-4405L bowls	Top		E	ADA		F		Kohler	K-10956	1,000		HET	1.28	P	
25-034RN41	Kohler		Wellworth EL	K-4406	Top		E			F		Sloan	GEM 111-1.28	1,000		HET	1.28	P	WS
10-143RN28-RN44	Kohler		Wellworth EL	K-4406	Top		E			F		Kohler	K-10956	1,000		HET	1.28	P	
23-056RN39	Kohler		Wellworth EL	K-4406	Top		E			F		Kohler	K-13517 (manual actuation)	1,000		HET	1.28	P	WS
26-012RN42	Kohler		Wellworth EL	K-4406	Top		E			F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
46-052	Kohler		Wellcomme Ultra EL	K-96053	Top	12	E			F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
46-050	Kohler		Wellcomme Ultra EL	K-96054	Rear	12	E			F	WS	Kohler	K-13517-CP	1,000		HET	1.28	P	WS
42-056	Kohler		Highcliff Ultra EL	K-96057	Top	12	E	ADA		F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
46-051	Kohler		Highcliff Ultra EL ADA	K-96058	Rear	12	E	ADA		F	WS	Kohler	K-13517-CP	1,000		HET	1.28	P	WS
42-057	Kohler		Juvenile Ultra EL (Youth size: 13.5-inch bowl height)	K-96059	Top	10	E			F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
46-059	Kohler		Primary RF (child's bowl height: 10.5-inch = 267 mm)	K-96064	Top	10	R			F	WS	Kohler	K-13517 (manual actuation)	800		HET	1.28	P	WS
15-080RN31-RN47	Mansfield		Erie EL (wall mount-ADA possible)	1301	Rear	N.A.	E	ADA	R	W		Zurn	ZTS6200EV	1,000		HET	1.28	P	
27-012RN43	Mansfield		Baltic EL	1311	Top		E			F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
27-018RN43	Mansfield		Baltic EL	1311	Rear		E			F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
18-055RN36	Mansfield		Huron EL (rear outlet)	1312	Top	N.A.	E		R	F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
27-017RN43	Mansfield		Huron EL ADA Floor Mount Rear Outlet	1313	Top	N.A.	E	ADA	R	F		Sloan	Royal 111-1.28	800		HET	1.28	D	WS
15-079RN31-RN47	Mansfield		Adriatic EL ADA	1319	Top		E	ADA		F		American Standard	6065.121	1,000		HET	1.28	P	WS
27-013RN43	Mansfield		Adriatic EL ADA	1319	Rear		E	ADA		F		Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
15-081RN31-RN47	Mansfield		Erie EL (wall mount-ADA possible)	1301BPL (with bedpan lugs)	Top	N.A.	E	ADA	R	W		Zurn	ZTS6200EV	1,000		HET	1.28	P	
15-078RN31-RN47	Mansfield		Adriatic EL ADA	1319BPL (with bedpan lugs)	Top		E	ADA		F		American Standard	6065.121	1,000		HET	1.28	P	WS
28-064RN44	ProFlo		ProFlo RF (child's bowl height: 10-inch = 254 mm)	PF1700BHE (child's bowl height: 10-inch = 254 mm)	Top		R			F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
41-025	ProFlo		ProFlo EL	PF1721	Top		E			F	WS	Sloan	ECOS 8111-1.1	1,000		HET	1.10	D	WS
41-024	ProFlo		ProFlo EL ADA	PF1723	Top		E	ADA		F	WS	Sloan	ECOS 8111-1.1	1,000		HET	1.10	D	WS
41-023	ProFlo		ProFlo EL (wall mount-ADA possible)	PF1731	Top	N.A.	E	ADA	R	W	WS	Sloan	ECOS 8111-1.1	1,000		HET	1.10	D	WS
36-015	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Crown 111-1.28	1,000		HET	1.28	P	WS
36-005	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Crown 111-1.6	1,000	ULF			P	
38-022	Sloan Valve	WETS 2001.1101-1.1 ECOS	EL	ST2009	Top	10	E			F	WS	Sloan	ECOS 8111-1.1	800		HET	1.10	D	WS
36-014	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	ECOS 8111-1.28	1,000		HET	1.28	D	WS
36-013	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	ECOS HW 111-1.28	1,000		HET	1.28	D	WS
36-011	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	G2 Optima Plus 8111-1.28	1,000		HET	1.28	D	WS
36-012	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	G2 Optima Plus 8111-1.6	1,000	ULF			D	
36-009	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Gem 2 111-1.28	1,000		HET	1.28	P	
36-010	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Gem 2 111-1.6	1,000	ULF			P	
30-044RN46	Sloan Valve		EL	ST2009	Top	10	E	ADA		F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
30-046RN46	Sloan Valve		EL	ST2009	Top	10	E	ADA		F	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
30-045RN46	Sloan Valve		EL	ST2009	Top	10	E	ADA		F	WS	Sloan	Royal Uppercut 1.6 / 1.1 DUAL FLUSH	1,000		HET	1.28	D	

Map Report No. (for internal use)	Flushometer bowl							Flushometer valve											
	Manufacturer of the Bowl	Bowl/ Valve Combination Number (if available)	Bowl Model Name	Bowl Model Number	Spud	Rough-in (inches) *	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear Discharge (Back Outlet)	Floor- (F) OR Wall-Mounted (W)	WaterSense Compliant Bowl (certified)	Manufacturer of the Valve	Valve Model Number	Map Performance Score	6-L (1.6-gal) Commercial Combination	4.8-L (1.28-gal) HET Commercial Combination	Rated HET Flush Volume	Valve design: D=Diaphragm; P=Pliston	WaterSense Compliant Valve (certified)
36-007	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Solis 8111-1.28	1,000		HET	1.28	D	WS
36-008	Sloan Valve		EL	ST2009	Top	10	E			F	WS	Sloan	Solis 8111-1.6	1,000	ULF			D	
20-081RN36	Sloan Valve		EL	ST2010	Rear	10	E			F	WS	Sloan	Royal 120-1.28	1,000		HET	1.28	D	WS
36-031	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Crown 111-1.28	1,000		HET	1.28	P	WS
36-006	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Crown 111-1.6	1,000	ULF			P	
38-021	Sloan Valve	WETS 2021.1101-1.1 ECOS	EL ADA	ST2029	Top	10	F	ADA		F	WS	Sloan	ECOS 8111-1.1	800		HET	1.10	D	WS
36-029	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	ECOS 8111-1.28	1,000		HET	1.28	D	WS
36-030	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	ECOS HW 111-1.28	1,000		HET	1.28	D	WS
36-027	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	G2 Optima Plus 8111-1.28	1,000		HET	1.28	D	WS
36-028	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	G2 Optima Plus 8111-1.6	1,000	ULF			D	
36-025	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Gem 2 111-1.28	1,000		HET	1.28	P	
36-026	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Gem 2 111-1.6	1,000	ULF			P	
30-041RN46	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
30-042RN46	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
30-043RN46	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Royal Uppercut 1.6 / 1.1 DUAL FLUSH	1,000	ULF			D	
36-023	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Solis 8111-1.28	1,000		HET	1.28	D	WS
36-024	Sloan Valve		EL ADA	ST2029	Top	10	E	ADA		F	WS	Sloan	Solis 8111-1.6	1,000	ULF			D	
20-082RN36	Sloan Valve		EL ADA	ST2030	Rear	10	E	ADA		F	WS	Sloan	Royal 120-1.28	1,000		HET	1.28	D	WS
36-021	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Crown 111-1.28	1,000		HET	1.28	P	WS
36-022	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Crown 111-1.6	1,000	ULF			P	
38-020	Sloan Valve	WETS 2051.1101-1.1 ECOS	EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	ECOS 8111-1.1	800		HET	1.10	D	WS
36-020	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	ECOS 8111-1.28	1,000		HET	1.28	D	WS
36-019	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	ECOS HW 111-1.28	1,000		HET	1.28	D	WS
36-017	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	G2 Optima Plus 8111-1.28	1,000		HET	1.28	D	WS
36-018	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	G2 Optima Plus 8111-1.6	1,000	ULF			D	
36-046	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Gem 111-1.28	1,000		HET	1.28	P	WS
36-016	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Gem 111-1.6	1,000	ULF			P	
30-038RN46	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
30-039RN46	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
30-040RN46	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Royal Uppercut 1.6 / 1.1 DUAL FLUSH	1,000		HET	1.28	D	WS
36-044	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Solis 8111-1.28	1,000		HET	1.28	D	WS
36-045	Sloan Valve		EL (wall mount-ADA possible)	ST2059	Top	N.A.	E	ADA	R	W	WS	Sloan	Solis 8111-1.6	1,000	ULF			D	
20-083RN36	Sloan Valve		EL (wall mount-ADA possible)	ST2060	Rear	N.A.	E	ADA	R	W	WS	Sloan	Royal 143-1.28	1,000		HET	1.28	D	WS
36-040	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Crown 111-1.28	1,000		HET	1.28	P	WS
36-041	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Crown 111-1.6	1,000	ULF			P	
36-039	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	ECOS 8111-1.28	1,000		HET	1.28	D	WS
36-038	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	ECOS HW 111-1.28	1,000		HET	1.28	D	WS
36-036	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	G2 Optima Plus 8111-1.28	1,000		HET	1.28	D	WS
36-037	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	G2 Optima Plus 8111-1.6	1,000	ULF			D	
36-034	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Gem 111-1.28	1,000		HET	1.28	P	WS
36-035	Sloan Valve		EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Gem 111-1.6	1,000	ULF			P	
32-117RN48	Sloan Valve		Efficiency Series EL ADA	ST2229	Top	E	ADA			F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
36-042	Sloan Valve		Efficiency Series EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
36-043 & 32-119	Sloan Valve		Efficiency Series EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
36-032	Sloan Valve		Efficiency Series EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Solis 8111-1.28	1,000		HET	1.28	D	WS
36-033	Sloan Valve		Efficiency Series EL ADA	ST2229	Top	12	E	ADA		F	WS	Sloan	Solis 8111-1.6	1,000	ULF			D	
32-118RN48	Sloan Valve		Efficiency Series EL ADA (dual-flush)	ST2229	Top	E	ADA			F	WS	Sloan	WES 111 - 1.6/1.1 DUAL FLUSH	1,000		HET	1.28	D	WS
32-114RN48	Sloan Valve		Efficiency Series (child's bowl height: 10.5-inch = 267 mm)	ST2309 (child's bowl height: 10.5-inch = 267 mm)	Top	10	E			F	WS	Sloan	Royal 111-1.28	1,000		HET	1.28	D	WS
32-116RN48	Sloan Valve		Efficiency Series (child's bowl height: 10.5-inch = 267 mm)	ST2309 (child's bowl height: 10.5-inch = 267 mm)	Top	10	E			F	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
32-115RN48	Sloan Valve		Efficiency Series Dual Flush (child's bowl height: 10.5-inch = 267 mm)	ST2309 (child's bowl height: 10.5-inch = 267 mm)	Top	10	E			F	WS	Sloan	WES 111 - 1.6/1.1 DUAL FLUSH	1,000		HET	1.28	D	
46-049	Sloan Valve		EL (juvenile bowl height: 13.5-inch = 343 mm)	ST2449	Top	10	E			F	WS	Sloan	Crown 111-1.28	1,000		HET	1.28	D	WS
45-025	Sloan Valve		EL (juvenile bowl height: 13.5-inch = 343 mm)	ST2449	Top	10	E			F	WS	Sloan	ECOS 111-1.1	800		HET	1.10	D	
45-024	Sloan Valve		EL (juvenile bowl height: 13.5-inch = 343 mm)	ST2449	Top	10	E			F	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
45-023	Sloan Valve		EL (juvenile bowl height: 13.5-inch = 343 mm)	ST2449	Top	10	E			F	WS	Sloan	WES 111.1.1/1.6 DUAL FLUSH	1,000		HET	1.60	D	
38-019	Sloan Valve	WETS 2451.1101-1.1 ECOS	EL (wall mount-ADA possible)	ST2459	Top	N.A.	E	ADA	R	W	WS	Sloan	ECOS 8111-1.1	800		HET	1.10	D	WS
42-009	Sloan Valve		EL (wall mount-ADA possible)	ST2459	Top	N.A.	E	ADA	R	W	WS	Sloan	Royal 111-1.6	1,000	ULF			D	
42-008	Sloan Valve		DUAL FLUSH (wall mount-ADA possible)	ST2459	Top	N.A.	E	ADA	R	W	WS	Sloan	WES 111 Uppercut DUAL FLUSH	1,000		HET	1.60	D	
41-026	Sloan Valve		EL (wall mount-ADA possible)	ST2469	Rear	N.A.	E	ADA	R	W	WS	Sloan	Royal 152-1.28	1,000		HET	1.28	D	WS
24-120RN40	Toto		EL	CT705E	Top	12	E			F	WS	Toto	TMT 1NNC	600	ULF			P	
13-039RN28-RN44	Toto		EL	CT705ELN*	Top	N.A.	E	ADA		F	WS	Toto	TMT 1LN-32 (manual valve)	1,000		HET	1.28	P	
13-040RN28-RN44	Toto		EL ADA	CT705ELN*	Top	N.A.	E	ADA		F	WS	Toto	TMT 1LN-32 (manual valve)	1,000		HET	1.28	P	
42-001	Toto		EL	CT705ELN*	Top	12	E	ADA		F	WS	Toto	TET 1LA32 OR TET 2LA31/32/33 OR TET 3LA31/32/33	800		HET	1.28	P	WS
13-039RN28-RN44	Toto		EL	CT705EN*	Top	N.A.	E	ADA		F	WS	Toto	TMT 1LN-32 (manual valve)	1,000		HET	1.28	P	









Map Report No. (for internal use)	Flushometer bowl										Flushometer valve								
	Manufacturer of the Bowl	Bowl/ Valve Combination Number (if available)	Bowl Model Name	Bowl Model Number	Spud	Rough-in (inches)*	Round (R) or Elongated (E) bowl	ADA Height Bowl	Rear Discharge (Back Outlet)	Floor- (F) OR Wall-Mounted (W)	WaterSense Compliant Bowl (certified)	Manufacturer of the Valve	Valve Model Number	Map Performance Score	6-L (1.6-gal) Commercial Combination	4.8-L (1.28-gal) HET Commercial Combination	Rated HET Flush Volume	Valve design: D=Diaphragm; P=Piston	WaterSense Compliant Valve (certified)
12-042RN28-RN44	Zurn		EL ADA	Z5665-BWL HET	Top	12	E	ADA		F	WS	Zurn	ZTS6200EV	1,000					
21-080eRN37	Zurn		EL ADA	Z5665-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6200-WS1	1,000	ULF			P	
21-080gRN37	Zurn		EL ADA	Z5665-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200-WS1	1,000	ULF			P	
21-080hRN37	Zurn		EL ADA	Z5665-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200-WS1-IS	1,000	ULF			P	
21-080iRN37	Zurn		EL ADA	Z5665-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6200-WS1	1,000	ULF			P	
44-094	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	Z6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZER6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZR6000AV-ONE	1,000		HET	1.10	D	WS
41-014	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
41-016	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZTR6200-W1S	1,000	ULF			P	
41-012	Zurn		EL ADA	Z5665-BWL1	Top	12	E	ADA		F	WS	Zurn	ZTR6200EV	1,000		HET	1.28	P	WS
21-082kRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6000AV-HET	1,000		HET	1.28	D	WS
21-082pRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6000PL-HET	1,000		HET	1.28	D	
21-081iRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6200-HET	1,000		HET	1.28	P	WS
21-081mRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6200PL-HET	1,000		HET	1.28	P	
21-082nRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-HET	1,000		HET	1.28	D	WS
21-082oRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-HET-IS	1,000		HET	1.28	D	WS
21-082eRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000PL-HET	1,000		HET	1.28	D	
21-082tRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000PL-HET-IS	1,000		HET	1.28	D	
21-081kRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200-HET	1,000		HET	1.28	D	WS
21-081lRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200-HET-IS	1,000		HET	1.28	D	WS
21-081oRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200PL-HET	1,000		HET	1.28	D	
21-081pRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56200PL-HET-IS	1,000		HET	1.28	D	
21-082lRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6000AV-HET	1,000		HET	1.28	D	WS
21-082qRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6000PL-HET	1,000		HET	1.28	D	
21-081jRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6200-HET	1,000		HET	1.28	P	
21-081nRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6200PL-HET	1,000		HET	1.28	P	
21-082mRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZR6000AV-HET	1,000		HET	1.28	P	
21-082rRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	ZR6000PL-HET	1,000		HET	1.28	D	
21-083kRN37	Zurn		EL ADA	Z5666-BWL HET w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6000AV-WS1	1,000		HET	1.28	D	
21-083jRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	Z6000PL-WS1	1,000	ULF			D	
21-083pRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-HET-IS	1,000		HET	1.28	D	WS
21-083oRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-WS1	1,000	ULF			D	
21-083nRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000PL-HET-IS	1,000		HET	1.28	D	
21-083tRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZEM56000PL-WS1	1,000	ULF			D	
21-083lRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6000AV-WS1	1,000	ULF			D	
21-083qRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZER6000PL-WS1	1,000	ULF			D	
21-083mRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZR6000AV-WS1	1,000	ULF			D	
21-083rRN37	Zurn		EL ADA	Z5666-BWL w/BPL	Top	12	E	ADA		F	WS	Zurn	ZR6000PL-WS1	1,000	ULF			D	
44-094	Zurn		EL ADA	Z5666-BWL1	Top	12	E	ADA		F	WS	Zurn	Z6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5666-BWL1	Top	12	E	ADA		F	WS	Zurn	ZEM56000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5666-BWL1	Top	12	E	ADA		F	WS	Zurn	ZER6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5666-BWL1	Top	12	E	ADA		F	WS	Zurn	ZR6000AV-ONE	1,000		HET	1.10	D	
41-014	Zurn		EL ADA	Z5666-BWL1 w/BPL	Top	12	E	ADA		F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
41-016	Zurn		EL ADA	Z5666-BWL1 w/BPL	Top	12	E	ADA		F	WS	Zurn	ZTR6200-W1S	1,000	ULF			P	
41-012	Zurn		EL ADA	Z5666-BWL1 w/BPL	Top	12	E	ADA		F	WS	Zurn	ZTR6200EV	1,000		HET	1.28	P	WS
44-094	Zurn		EL ADA	Z5667-BWL1 (back outlet)	Rear	12	E	ADA		F	WS	Zurn	Z6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5667-BWL1 (back outlet)	Rear	12	E	ADA		F	WS	Zurn	ZEM56000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5667-BWL1 (back outlet)	Rear	12	E	ADA		F	WS	Zurn	ZER6000AV-ONE	1,000		HET	1.10	D	WS
44-094	Zurn		EL ADA	Z5667-BWL1 (back outlet)	Rear	12	E	ADA		F	WS	Zurn	ZR6000AV-ONE	1,000		HET	1.10	D	
41-014	Zurn		EL ADA	Z5667-BWL1 w/AM glaze	Rear	12	E	ADA		F	WS	Zurn	ZTR6200-ONE	1,000		HET	1.10	P	WS
41-016	Zurn		EL ADA	Z5667-BWL1 w/AM glaze	Rear	12	E	ADA		F	WS	Zurn	ZTR6200-W1S	1,000	ULF			P	
41-012	Zurn		EL ADA	Z5667-BWL1 w/AM glaze	Rear	12	E	ADA		F	WS	Zurn	ZTR6200EV	1,000		HET	1.28	P	WS

Notes: \*-Rough-in dimension shown is the actual dimension of the tested installation; some bowls on this list may accommodate BOTH 10-inch and 12-inch rough-in

RF - Round-front toilet bowl

EL - Elongated-front toilet bowl

N.A. - Wall (rear) outlet bowl. Rough-in dimension is NOT applicable.

S - Special bowl height for child installations as follows:

Amer Std Approx. 10.4 inches to 14 inches (260 to 355 mm)

Gerber Approx. 13.4 inches (340 mm)

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

G - Gallons per Flush

L - Litres per Flush

BPL - Bowl with Bed Pan Lugs